

NAVAL AIR WARFARE CENTER WEAPONS DIVISION

Point Mugu,
CA 93042-5001

NAWCWPNS TP 8065

DECEMBER 1994



Tidal and Lunar Data for Point Mugu, San Nicolas Island, and the Barking Sands Area During 1995

by
Charles Fisk
and
Bernard Cohenour
Geophysics Analysis Section



Approved for public release; distribution is unlimited

Approved for public release; distribution is unlimited

19950117 048

NAVAL AIR WARFARE CENTER WEAPONS DIVISION

FOREWORD

This publication combines a single source for all tidal and lunar data for operational locations of the Naval Air Warfare Center for use in Calendar Year 1995.

Mr. R. Helvey, Head, Geophysics Analysis Section; Mr. C. Fisk and Mr. B. Cohenour, Task Engineers; Mr. J. S. Rosenthal, Head, Geophysics Branch; Mr. W. Leslie, Associate Range Division Operations Officer; CAPT M. D. Barrett, Deputy Pacific Ranges and Facilities Department Director; and W. L. Bruton, Head, Test Operations Division, have approved this report for publication. OPSEC review by Mr. M. Flores.

Approved by
W. L. Bruton, *Head*
Test Operations Division
31 December 1994

Under authority of
D. B. McKINNEY
RAdm., U.S. Navy
Commander

Released for publication by
G. M. Wrout, *Head*
Test and Evaluation Group

NAWCWPNS Technical Publication 8065

Published by.....Scientific and Technical Documentation
First printing.....280 copies

REPORT DOCUMENTATION PAGE

*Form Approved
OMB No. 0704-0188*

Public reporting for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED	
	DECEMBER 1994	Annual	
4. TITLE AND SUBTITLE Tidal and Lunar Data for Point Mugu, San Nicolas Island, and the Barking Sands Area During 1995		5. FUNDING NUMBERS	
6. AUTHOR(S) Charles J. Fisk and Bernard C. Cohenour			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Air Warfare Center Weapons Division Geophysics Branch, Code 521400E Point Mugu, CA 93042-5001		8. PERFORMING ORGANIZATION REPORT NUMBER NAWCWPNS TP 8065	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.		12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) Basic lunar and tidal data for Point Mugu, San Nicolas Island and the Barking Sands area during 1995 are provided. The data presented are: (1) Tidal data; (2) times of moonrise and moonset; (3) times of lunar phases; and (4) times of sunrise and sunset.			
14. SUBJECT TERMS Barking Sands, Hawaii Point Mugu, CA		15. NUMBER OF PAGES 36	
		16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL

CONTENTS

Introduction	3
Data Source and Time References.....	3
Tidal Data	4
Lunar Data.....	4
 Appendixes:	
A. Height of the Tide at Any Time.....	A-2
B. Equinoxes, Solstices, and Lunar Phases During 1995.....	B-1
C. Sunrise and Sunset Tables.....	C-1
 Figures:	
A-1. Tidal Curve for Solution to Problem.....	A-3
 Tables:	
1. Tidal Ranges for Point Mugu and San Nicolas Island.....	4
2. Tidal Ranges for Port Allen.....	4
3. Moonrise and Moonset, Point Mugu, 1995.....	5
4. Point Mugu Tides, January 1995.....	6
5. Point Mugu Tides, February 1995.....	6
6. Point Mugu Tides, March 1995.....	7
7. Point Mugu Tides, April 1995.....	7
8. Point Mugu Tides, May 1995.....	8
9. Point Mugu Tides, June 1995.....	8
10. Point Mugu Tides, July 1995.....	9
11. Point Mugu Tides, August 1995.....	9
12. Point Mugu Tides, September 1995.....	10
13. Point Mugu Tides, October 1995.....	10
14. Point Mugu Tides, November 1995.....	11
15. Point Mugu Tides, December 1995.....	11
16. San Nicolas Island Tides, January 1995.....	12
17. San Nicolas Island Tides, February 1995.....	12
18. San Nicolas Island Tides, March 1995.....	13
19. San Nicolas Island Tides, April 1995.....	13
20. San Nicolas Island Tides, May 1995.....	14
21. San Nicolas Island Tides, June 1995.....	14
22. San Nicolas Island Tides, July 1995.....	15
23. San Nicolas Island Tides, August 1995.....	15

Tables: (Contd.)

24. San Nicolas Island Tides, September 1995.....	16
25. San Nicolas Island Tides, October 1995.....	16
26. San Nicolas Island Tides, November 1995.....	17
27. San Nicolas Island Tides, December 1995.....	17
28. Moonrise and Moonset, Barking Sands 1995.....	18
29. Port Allen Tides, January 1995.....	19
30. Port Allen Tides, February 1995.....	19
31. Port Allen Tides, March 1995.....	20
32. Port Allen Tides, April 1995.....	20
33. Port Allen Tides, May 1995.....	21
34. Port Allen Tides, June 1995.....	21
35. Port Allen Tides, July 1995.....	22
36. Port Allen Tides, August 1995.....	22
37. Port Allen Tides, September 1995.....	23
38. Port Allen Tides, October 1995.....	23
39. Port Allen Tides, November 1995.....	24
40. Port Allen Tides, December 1995.....	24
A-1. Height of the Tide at Any Time.....	26
B-1. Equinoxes, Solstices, and Lunar Phases 1995.....	30
C-1. Sunrise and Sunset for Point Mugu (January-June).....	33
C-2. Sunrise and Sunset for Point Mugu (July-December).....	34
C-3. Sunrise and Sunset for Barking Sands (January-June).....	35
C-4. Sunrise and Sunset for Barking Sands (July-December).....	36

Accesion For		
NTIS	CRA&I	<input checked="" type="checkbox"/>
DTIC	TAB	<input type="checkbox"/>
Unannounced <input type="checkbox"/>		
Justification		
By _____		
Distribution / _____		
Availability Codes		
Dist	Avail and/or Special	
A-1		

INTRODUCTION

This publication combines a single source for all tidal and lunar data for operational locations of the Naval Air Warfare Center Weapons Division for use in Calendar Year 1995.

The data presentations are in two main divisions: one for Point Mugu and San Nicolas Island, and the other for the Barking Sands area. Within each division, the times of moonrise and moonset and tidal data are given. Appendixes provide information on lunar phases, sunrise and sunset times and calculation of the tide at any time. This publication is issued annually. Information regarding this data may be obtained from the Geophysics Branch of the Pacific Ranges and Facilities Department.

Special tidal data requests (ranges, heights at any time, and/or graphical depictions of each) for Point Mugu, San Nicolas Island, and Barking Sands, as well as for other locations, can be made by contacting the authors of this report at the Naval Air Warfare Center Weapons Division (805) 989-8383.

DATA SOURCE AND TIME REFERENCES

The data given here have been prepared from information contained in Tide Tables for the West Coast of North and South America including the Hawaiian Islands, 1995, published by the National Ocean Service.

For Point Mugu and San Nicolas Island, all times listed are Pacific Standard Time (PST), add eight hours to obtain Universal Coordinated Time (UCT or Z). When Daylight Savings Time (PDT) is in effect, one hour is to be added to the times given. In 1995, Pacific Daylight Time is scheduled to commence at 0200 PST on Sunday, 2 April, and to end at 0200 PDT on Sunday, 29 October.

For the Barking Sands Area, all times listed are Alaska-Hawaii Standard Time (AHST); add ten hours to obtain UCT. Daylight Savings Time is not observed in Hawaii.

TIDAL DATA

The ranges of tidal heights that may be expected at Point Mugu and San Nicolas Island are shown in Table 1. The range of heights for the primary harbor in the Barking Sands area, Port Allen, is shown in Table 2. The times and height of high and low tides for 1995 at Point Mugu are given in Tables 4 through 15, and at San Nicolas Island in Tables 16 through 27. Similar tide data for Port Allen are given in Tables 29 through 40.

TABLE 1. Tidal Ranges for Point Mugu and San Nicolas Island

Point Mugu		
Tidal Levels	Height (Ft)	Occurrence
Extreme high water	6.84	0842, Dec 22
Mean tide level (mean sea level)	2.74	
Extreme low water	-1.67	1542, Jan 01
Tidal Ranges	Height (Ft)	Occurrence(s)
Maximum	8.48	Jan 01, Dec 22
Minimum	1.84	Sep 18

San Nicolas Island		
Tidal Levels	Height (Ft)	Occurrence
Extreme high water	6.27	0848, Dec 22
Mean tide level (mean sea level)	2.51	
Extreme low water	-1.53	1548, Jan 01
Tidal Ranges	Height (Ft)	Occurrence(s)
Maximum	7.77	Jan 01, Dec 22
Minimum	1.69	Sep 18

TABLE 2. Tidal Ranges for Port Allen

Tidal Levels	Height (Ft)
Extreme high water	2.3
Mean higher high water	1.6
Mean high water	1.0
Mean tide level (mean sea level)	0.7
Mean low water	0.5
Mean lower low water	-0.1
Extreme low water	-0.3

These tables list the times and heights of high and low tide for each month of the year and chronologically through each day. The heights are all measured from mean lower low water and are values for a sea unaffected by wind waves or swell. The height and character of the sea surface are influenced by factors other than the predictable positions of the moon and sun, and thus are likely to be higher or lower than computed values indicate.

LUNAR DATA

Times of moonrise and moonset for the Point Mugu-San Nicolas Island area in 1995 are given in Table 3, and for the Barking Sands area in Table 28, preceding the tidal data for the respective stations. Information regarding the phases of the moon in 1995 is found in Appendix B.

Astronomical Applications Dept.
U.S. Naval Observatory
Washington, D.C. 20392-5420

TABLE 3. Moonrise and Moonset, Point Mugu, 1995

Point Mugu, California
Rise and Set for the Moon for 1995
Pacific Standard Time

Location: $41^{\circ}19'07''$, $N34^{\circ}07'$

Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Day	Rise	Set	Rise									
	h ^m											
01	0701	1744	0745	1943	0617	1827	0633	2006	0628	2039	0736	2138
02	0751	1852	0821	2043	0651	1927	0710	2101	0712	2128	0830	2216
03	0835	1957	0834	2142	0725	2025	0749	2154	0759	2215	0925	2252
04	0915	2100	0928	2238	0800	2122	0831	2245	0849	2258	1021	2327
05	0950	2200	1002	2334	0835	2217	0917	2333	0942	2338	1118	1209
06	1026	2259	1038	0913	2311	1005	1036	0901	1217	0001	1312	0052
07	1056	2355	1116	0028	0953	1057	0019	1132	0016	1318	0035	1417
08	1129	1158	0121	1036	0003	1150	0101	1230	0052	1422	0112	1523
09	1203	0050	1242	0213	1123	0053	1246	0141	1329	0127	1528	0206
10	1240	0144	1331	0302	1213	0140	1344	0219	1431	0202	1636	0235
11	1319	0238	1423	0349	1307	0225	1445	0255	1535	0239	1744	0326
12	1402	0330	1519	0432	1403	0307	1547	0331	1642	0318	1850	0422
13	1449	0421	1616	0514	1501	0347	1651	0408	1751	0401	1951	0525
14	1539	0509	1716	0552	1601	0424	1758	0446	1901	0449	2046	0632
15	1633	0555	1816	0629	1703	0501	1906	0528	2008	0543	2134	0740
16	1729	0638	1918	0705	1806	0537	2015	0613	2110	0643	2216	0848
17	1827	0717	2021	0741	1911	0615	2122	0703	2207	0747	2254	0952
18	1926	0754	2125	0818	2018	0654	2225	0759	2256	0853	2329	1055
19	2026	0830	2229	0856	2124	0736	2323	0859	2339	0959	2312	1140
20	2127	0905	2334	0938	2231	0822	1002	1103	0003	1252	1331	0033
21	2229	0940	1024	2334	0912	0014	1106	0018	1204	0037	1348	0026
22	2332	1016	0039	1116	1008	0059	1209	0054	1304	0111	1443	0107
23	2405	1055	0140	1212	0034	1107	0140	1310	0128	1401	0147	1538
24	0037	1138	0238	1312	0128	1209	0217	1410	0201	1458	0226	1630
25	0142	1226	0331	1415	0216	1312	0251	1509	0234	1554	0308	1721
26	0246	1320	0419	1520	0300	1414	0325	1606	0309	1648	0353	1810
27	0349	1419	0502	1624	0339	1516	0438	1703	0347	1742	0441	1855
28	0447	1523	0541	1726	0415	1616	0433	1759	0426	1835	0532	1928
29	0539	1629	0605	1715	0509	1854	0509	1925	0625	2017	0707	2006
30	0626	1736	0524	1813	0547	1947	0556	2012	0720	2054	0804	2040
31	0707	1840	0558	1910	0645	2057	0645	2057	0903	2114	1103	2157

Add one hour for daylight time, if and when in use.

TABLE 4. Point Mugu Tides, January 1995

	January 1995						February 1995												
	Mugu Lagoon (Ocean Piers), CA 34° 06.0' North, 119° 06.0' West Tidal range, highs, and lows in feet.						Mugu Lagoon (Ocean Piers), CA 34° 06.0' North, 119° 06.0' West Tidal range, highs, and lows in feet.												
	Pacific Standard Time - Add one hour for Daylight Savings Time						Pacific Standard Time - Add one hour for Daylight Savings Time												
	Date	Range	Time	Ht	Time	Ht	Date	Range	Time	Ht	Time	Ht							
01	8.48	0224	1.51	0824	6.81	1542	-1.67	2200	4.30	01	6.48	0348	0.97	0942	5.75	1636	-0.72	2242	4.65
02	8.06	0312	1.47	0912	6.59	1624	-1.47	2242	4.38	02	5.40	0436	1.04	1024	5.18	1706	-0.22	2318	4.60
03	7.24	0354	1.50	0954	6.15	1706	-1.09	2324	4.41	03	4.17	0524	1.20	1106	4.51	1742	-0.34	2400	4.49
04	6.09	0454	1.61	1042	5.53	1748	-0.56	04	2.89	0618	1.40	1154	3.81	1812	0.92	1936	1.95		
05	4.74	0012	4.41	0548	1.77	1130	4.78	1824	0.04	06	2.64	0142	4.23	0854	1.59	1430	2.63	2054	2.31
06	3.73	0106	4.39	0654	1.91	1224	4.00	1906	0.66	07	2.86	0248	4.18	1048	1.33	1706	2.57	2230	2.43
07	3.14	0154	4.38	0824	1.93	1336	3.27	1954	1.25	08	3.37	0354	4.27	1154	0.90	1836	2.83	2342	2.33
08	2.73	0254	4.43	1006	1.70	1524	2.79	2048	1.74	09	4.01	0454	4.49	1242	0.48	1918	3.11	2000	3.58
09	3.29	0354	4.54	1130	1.25	1724	2.73	2154	2.08	10	4.66	0554	4.77	1318	0.11	1936	3.35	2048	4.04
10	3.96	0448	4.72	1230	0.76	1848	2.92	2306	2.25	11	5.26	0030	2.12	0624	5.96	1348	-0.20	2118	4.25
11	4.57	0542	4.94	1306	0.38	1924	3.15	2354	2.17	12	5.74	0106	1.87	0700	5.32	1412	-0.42	2248	3.81
12	5.17	0612	5.18	1342	0.01	2000	3.34	2030	3.51	13	6.07	0142	1.60	0736	5.50	1442	-0.57	2054	4.04
13	5.69	0042	2.12	0648	5.41	1412	-0.28	2054	3.66	14	6.20	0218	1.34	0818	5.58	1506	-0.62	2118	4.45
14	6.10	0118	2.02	0718	5.60	1442	-0.50	2054	3.66	15	6.10	0248	1.11	0848	5.54	1536	-0.55	2148	4.45
15	6.37	0154	1.91	0754	5.73	1512	-0.64	2130	3.79	16	5.72	0330	0.93	0924	5.35	1606	-0.37	2212	4.62
16	6.47	0224	1.81	0830	5.77	1536	-0.70	2154	3.91	17	5.07	0406	0.81	1006	5.01	1636	-0.06	2248	4.74
17	6.37	0254	1.73	0854	5.71	1606	-0.66	2224	4.02	18	4.45	0454	0.78	1048	4.51	1706	0.35	2324	4.80
18	6.03	0336	1.68	0936	5.53	1636	-0.51	2254	4.12	19	3.09	0548	0.81	1136	3.91	1742	0.84	2000	3.58
19	5.46	0418	1.67	1012	5.20	1706	-0.25	2330	4.21	20	3.92	0006	4.80	0654	0.88	1236	3.28	1824	1.36
20	4.64	0506	1.69	1048	4.74	1736	0.10	21	3.93	0100	4.76	0824	0.84	1418	2.82	1924	1.84	2054	2.16
21	3.77	0006	4.31	0554	1.72	1130	4.16	1812	0.54	22	4.21	0212	4.76	1006	0.55	1630	2.83	2236	2.13
22	3.41	0048	4.42	0712	1.69	1230	3.51	1854	1.02	23	4.81	0330	4.88	1124	0.07	1754	3.18	2348	1.83
23	3.09	0142	4.57	0848	1.49	1406	2.96	1954	1.48	24	5.55	0448	5.16	1218	-0.39	1848	3.59	2106	4.77
24	3.79	0248	4.79	1024	0.99	1612	2.79	2106	1.84	25	6.21	0554	5.47	1306	-0.74	1930	3.97	2054	4.31
25	4.79	0354	5.11	1142	0.32	1754	3.02	2230	1.97	26	6.63	0048	1.43	0648	5.71	1348	-0.92	1954	4.31
26	5.86	0506	5.51	1236	-0.34	1854	3.39	2342	1.88	27	6.74	0136	1.03	0736	5.81	1424	-0.93	2036	4.58
27	6.81	0554	5.92	1324	-0.88	1942	3.76	28	6.53	0218	0.71	0818	5.74	1454	-0.79	2106	4.77	2000	3.58
28	7.50	0042	1.65	0654	6.25	1406	-1.25	2024	4.08	29	7.82	0136	1.39	0742	6.42	1448	-1.40	2054	4.33
30	7.75	0218	1.16	0824	6.40	1524	-1.35	2136	4.51	31	7.29	0306	1.01	0900	6.17	1554	-1.11	2206	4.62

TABLE 6. Point Mugu Tides, March 1995

Pacific Standard Time - Add one hour for Daylight Savings Time							
Date	Range	Time	Hi	Time	Hi	Time	Hi
01	6.02	0254	0.49	0854	5.51	1530	-0.51
02	5.27	0336	0.40	0930	5.13	1554	-0.13
03	4.49	0418	0.43	1006	4.66	1630	0.31
04	4.08	0454	0.57	1048	4.12	1654	0.79
05	3.66	0542	0.78	1130	3.56	1724	1.28
06	2.00	0636	1.02	1230	3.02	1748	1.74
07	3.00	0024	4.21	0748	1.20	1354	2.60
08	2.80	0118	3.99	0930	1.19	1648	2.59
09	2.96	0242	3.90	1054	0.93	1812	2.88
10	3.41	0412	4.01	1154	0.60	1842	3.17
11	3.99	0512	4.27	1236	0.28	1906	3.46
12	4.55	0012	2.02	0554	4.57	1306	0.02
13	5.01	0048	1.61	0636	4.84	1336	-0.17
14	5.33	0124	1.18	0712	5.05	1354	-0.28
15	5.44	0154	0.76	0754	5.15	1430	-0.29
16	5.32	0236	0.37	0836	5.13	1454	-0.19
17	5.15	0318	0.07	0918	4.95	1530	0.03
18	5.42	0354	-0.12	0954	4.63	1554	0.37
19	5.46	0448	-0.18	1048	4.17	1636	0.78
20	5.24	0542	-0.10	1148	3.66	1718	1.26
21	3.14	0648	0.06	1254	3.19	1806	1.74
22	4.74	0030	4.90	0806	0.17	1442	2.98
23	4.56	0142	4.67	0936	0.11	1624	3.16
24	4.68	0312	4.59	1054	-0.09	1730	3.54
25	4.98	0436	4.69	1154	-0.29	1818	3.94
26	5.26	0542	4.86	1242	-0.39	1854	4.31
27	5.37	0048	1.06	0642	4.98	1318	-0.38
28	5.26	0130	0.61	0724	4.99	1354	-0.26
29	5.07	0212	0.27	0806	4.89	1424	-0.04
30	5.06	0248	0.04	0848	4.70	1454	0.24
31	5.16	0324	-0.07	0924	4.42	1518	0.57

TABLE 7. Point Mugu Tides, April 1995

Pacific Standard Time - Add one hour for Daylight Savings Time							
Date	Range	Time	Hi	Time	Hi	Time	Hi
01	5.07	0354	-0.07	0954	4.09	1548	0.93
02	4.80	0436	0.03	1036	3.72	1612	1.29
03	4.39	0518	0.21	1118	3.33	1642	1.66
04	3.88	0606	0.45	1218	2.98	1706	2.02
05	2.05	0654	0.68	1342	2.73	1742	2.35
06	3.21	0012	4.04	0818	0.83	1554	2.76
07	2.97	0124	3.78	0942	0.81	1712	3.02
08	3.02	0254	3.68	1048	0.66	1748	3.32
09	3.31	0424	3.79	1130	0.48	1812	3.65
10	3.69	0524	4.01	1212	0.33	1836	4.01
11	4.19	0024	1.37	0612	4.25	1242	0.22
12	4.65	0106	0.78	0654	4.45	1318	0.18
13	5.02	0142	0.21	0736	4.57	1348	0.22
14	5.86	0224	-0.31	0818	4.58	1424	0.35
15	6.47	0306	-0.70	0912	4.46	1454	0.57
16	6.77	0354	-0.94	0954	4.24	1536	0.88
17	6.70	0442	-0.98	1054	3.93	1612	1.24
18	6.29	0536	-0.86	1154	3.61	1654	1.63
19	4.02	0636	-0.63	1312	3.39	1806	2.01
20	5.40	0012	5.03	0748	-0.38	1442	3.39
21	4.79	0130	4.60	0906	-0.19	1554	3.62
22	4.38	0248	4.30	1012	-0.08	1654	3.97
23	4.33	0418	4.19	1112	0.01	1742	4.34
24	4.54	0524	4.19	1154	0.13	1818	4.67
25	4.63	0042	0.76	0624	4.20	1242	0.30
26	4.81	0124	0.31	0718	4.17	1318	0.51
27	5.27	0206	-0.02	0754	4.09	1348	0.75
28	5.55	0242	-0.25	0842	3.97	1418	1.00
29	5.66	0312	-0.37	0918	3.82	1442	1.25
30	5.60	0348	-0.40	0954	3.64	1512	1.50
31	5.18	0218	0.07	0724	3.57	1442	1.28

NAWCWPNS TP 8065

TABLE 8. Point Mugu Tides, May 1995

Pacific Standard Time - Add one hour for Daylight Savings Time									
Date	Range	Time	Ht	Time	Ht	Time	Ht	Time	
01	5.40	0424	-0.34	1036	3.45	1542	1.75	2136	5.06
02	5.04	0454	-0.20	1118	3.26	1606	2.00	2212	4.84
03	4.58	0542	-0.01	1212	3.09	1642	2.26	2242	4.57
04	4.04	0630	0.21	1318	3.01	1724	2.51	2324	4.25
05	2.66	0724	0.41	1442	3.06	1836	2.70	05	3.28
06	3.36	0024	3.91	0824	0.55	1548	3.27	2030	2.70
07	2.99	0142	3.62	0924	0.63	1636	3.57	2206	2.38
08	3.27	0318	3.49	1018	0.66	1712	3.93	2312	1.84
09	3.69	0436	3.53	1106	0.67	1742	4.36	2354	1.19
10	4.14	0542	3.68	1148	0.69	1812	4.83	10	6.58
11	4.82	0048	0.49	0636	3.85	1224	0.74	1836	5.31
12	5.95	0130	0.19	0724	3.99	1306	0.81	1912	5.76
13	6.89	0212	-0.79	0812	4.08	1348	0.93	1948	6.10
14	7.52	0254	-1.23	0906	4.09	1430	1.10	2030	6.30
15	7.77	0342	-1.47	0954	4.03	1512	1.30	2118	6.30
16	7.59	0436	-1.50	1054	3.92	1554	1.55	2206	6.09
17	7.03	0524	-1.34	1154	3.82	1654	1.82	2254	5.69
18	6.18	0624	-1.03	1306	3.79	1754	2.06	2354	5.15
19	4.52	0724	-0.64	1412	3.88	1924	2.18	18	4.49
20	4.79	0106	4.56	0824	0.23	1518	4.09	2054	2.05
21	4.23	0230	4.05	0924	0.14	1612	4.37	2230	1.66
22	4.20	0348	3.72	1024	0.47	1700	4.67	2336	1.15
23	4.18	0506	3.57	1118	0.76	1742	4.94	22	4.47
24	4.50	0030	0.65	0612	3.54	1154	1.03	1818	5.15
25	5.08	0118	0.22	0706	3.54	1236	1.26	1854	5.31
26	5.51	0154	-0.10	0754	3.54	1312	1.47	1924	5.41
27	5.80	0230	-0.32	0842	3.53	1342	1.64	1954	5.47
28	5.95	0306	-0.46	0918	3.52	1412	1.78	2024	5.49
29	5.96	0336	-0.53	0954	3.49	1442	1.92	2054	5.44
30	5.84	0412	-0.51	1036	3.45	1518	2.05	2124	5.32
31	5.57	0442	-0.43	1112	3.41	1548	2.21	2148	5.14

TABLE 9. Point Mugu Tides, June 1995

Pacific Standard Time - Add one hour for Daylight Savings Time										
Date	Range	Time	Ht	Time	Ht	Time	Ht	Time		
01	5.16	0518	-0.29	1154	3.38	1630	2.37	2224	4.88	
02	4.64	0554	-0.09	1242	3.39	1718	2.52	2300	4.54	
03	4.02	0642	0.14	1336	3.47	1818	2.63	2348	4.15	
04	3.26	0724	0.38	1430	3.64	1942	2.60			
05	0.28	0054	3.73	0812	0.63	1518	3.92	2118	2.31	
06	0.42	0218	3.38	0906	0.86	1606	4.29	2236	1.77	
07	0.68	0354	3.20	0954	1.06	1648	4.73	2336	1.07	
08	4.02	0518	3.25	1048	1.20	1724	5.23			
09	5.41	0030	0.32	0624	3.42	1142	1.31	1806	5.73	
10	6.58	0118	-0.40	0724	3.63	1230	1.37	1842	6.18	
11	7.52	0206	-1.01	0812	3.83	1318	1.42	1930	6.52	
12	8.12	0248	-1.44	0900	3.98	1406	1.46	2012	6.68	
13	8.29	0336	-1.66	0954	4.09	1454	1.52	2100	6.63	
14	8.00	0424	-1.65	1048	4.15	1548	1.62	2154	6.36	
15	7.30	0512	-1.42	1142	4.20	1648	1.76	2248	5.87	
16	6.26	0554	-1.03	1236	4.25	1748	1.90	2342	5.23	
17	4.86	0648	-0.53	1330	4.34	1906	1.99			
18	18	4.49	0042	4.52	0742	0.03	1430	4.46	2030	1.92
19	4.06	0154	3.85	0836	0.57	1530	4.63	2154	1.64	
20	3.78	0324	3.36	0930	1.05	1618	4.83	2318	1.20	
21	3.59	0448	3.15	1024	1.43	1700	5.02			
22	4.47	0018	0.74	0606	3.15	1118	1.71	1742	5.20	
23	5.03	0106	0.33	0706	3.25	1206	1.90	1818	5.36	
24	5.49	0148	0.01	0754	3.36	1242	2.01	1854	5.50	
25	5.83	0218	-0.23	0842	3.46	1318	2.06	1930	5.60	
26	6.06	0254	-0.39	0912	3.55	1354	2.08	2006	5.66	
27	6.15	0324	-0.49	0948	3.62	1430	2.09	2036	5.67	
28	6.10	0354	-0.51	1018	3.68	1454	2.12	2106	5.59	
29	5.88	0424	-0.46	1048	3.73	1536	2.17	2136	5.42	
30	5.49	0454	-0.33	1118	3.79	1618	2.24	2206	5.16	

TABLE 10. Point Mugu Tides, July 1995

Date	Range	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht
01	4.93	0524	-0.13	1154	3.85	1654	2.31	2242	4.80	01	3.80	0548	0.80	1218	4.61
02	4.22	0554	0.14	1236	3.95	1754	2.35	2324	4.35	02	3.49	0006	3.81	0630	1.24
03	3.64	0636	0.46	1318	4.10	1906	2.32	03	3.53	0124	3.27	0712	1.68	1412	4.89
04	3.50	0018	3.84	0712	0.83	1412	4.33	2036	2.11	04	4.36	0324	2.99	0824	2.05
05	3.44	0142	3.34	0754	1.20	1506	4.63	2206	1.63	05	3.27	0512	3.13	0948	2.25
06	4.07	0324	3.03	0854	1.52	1554	5.03	2318	0.96	06	5.77	0006	0.17	0624	3.47
07	3.74	0506	3.04	1006	1.74	1654	5.48	07	6.71	0054	-0.39	0712	3.86	1212	1.96
08	5.73	0118	0.23	0624	3.28	1112	1.83	1742	5.96	08	7.37	0136	-0.80	0754	4.22
09	6.84	0106	-0.45	0724	3.59	1212	1.79	1836	6.39	09	7.65	0218	-1.02	0830	4.55
10	7.69	0154	-1.00	0812	3.90	1306	1.68	1918	6.70	10	7.51	0254	-1.03	0906	4.80
11	8.18	0236	-1.36	0848	4.16	1354	1.55	2006	6.82	11	6.96	0336	-0.84	0942	4.98
12	8.22	0318	-1.49	0936	4.38	1448	1.45	2048	6.73	12	6.07	0412	-0.48	1018	5.07
13	7.80	0406	-1.40	1018	4.54	1542	1.42	2136	6.40	13	5.06	0448	0.00	1106	5.06
14	6.97	0448	-1.11	1106	4.64	1636	1.47	2230	5.86	14	4.40	0524	0.57	1142	4.98
15	5.82	0524	-0.65	1154	4.69	1370	1.58	2318	5.18	15	3.66	0554	1.17	1230	4.83
16	4.77	0606	-0.07	1242	4.70	1836	1.71	06	3.07	0054	3.58	0642	1.74	1318	4.67
17	4.15	0012	4.42	0654	0.54	1330	4.70	1954	1.78	17	3.11	0224	3.10	0730	2.24
18	3.56	0124	3.70	0736	1.15	1430	4.71	2124	1.67	18	3.46	0436	3.01	0848	2.60
19	3.41	0254	3.16	0830	1.68	1530	4.77	2254	1.35	19	2.04	0606	3.23	1018	2.71
20	3.95	0442	2.97	0936	2.07	1618	4.89	2354	0.94	20	4.21	0018	0.78	0648	3.49
21	2.78	0606	3.08	1042	2.29	1712	5.06	21	4.76	0054	0.48	0718	3.72	1218	2.60
22	4.71	0048	0.55	0706	3.29	1142	2.35	1754	5.26	22	5.22	0130	0.24	0742	3.93
23	5.23	0130	0.22	0748	3.48	1230	2.31	1836	5.46	23	5.53	0154	0.07	0806	4.14
24	5.65	0154	-0.03	0824	3.64	1306	2.22	1912	5.63	24	5.69	0224	-0.02	0836	4.35
25	5.95	0230	-0.20	0848	3.79	1342	2.10	1948	5.74	25	5.66	0248	-0.03	0854	4.56
26	6.10	0254	-0.31	0918	3.93	1418	1.99	2018	5.78	26	5.41	0318	0.04	0924	4.74
27	6.07	0324	-0.34	0942	4.07	1448	1.90	2048	5.73	27	4.94	0342	0.22	0954	4.90
28	5.85	0354	-0.29	1012	4.19	1524	1.84	2124	5.56	28	4.53	0412	0.50	1024	5.02
29	5.43	0418	-0.15	1042	4.30	1606	1.81	2154	5.28	29	4.23	0442	0.86	1048	5.09
30	4.79	0448	0.09	1106	4.40	1648	1.81	2230	4.88	30	3.95	0512	1.29	1130	5.10
31	4.09	0518	0.41	1136	4.50	1736	1.83	2312	4.38	31	3.91	0012	3.68	0554	1.75

TABLE 11. Point Mugu Tides, August 1995

Date	Range	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht
01	3.80	0548	0.80	1218	4.61	1842	1.82	01	3.49	0006	3.81	0630	1.24	1954	1.71
02	3.53	0124	3.27	0712	1.68	1412	4.89	03	4.36	0324	2.99	0824	2.05	2136	1.37
03	4.36	0324	2.99	0824	2.05	1518	5.15	04	3.27	0512	3.13	0948	2.25	2254	0.80
05	3.27	0512	3.13	0948	2.25	1630	5.52	06	5.77	0006	0.17	0624	3.47	1730	5.94
07	6.71	0054	-0.39	0712	3.86	1212	1.96	07	6.07	0136	-0.80	0754	4.22	1824	6.32
08	7.37	0136	-0.80	0754	4.22	1306	1.65	09	7.65	0218	-1.02	0830	4.55	1912	6.57
10	7.51	0254	-1.03	0906	4.80	1442	1.13	10	7.51	0254	-1.03	0906	4.80	2042	6.48
11	6.96	0336	-0.84	0942	4.98	1530	1.01	11	6.96	0336	-0.84	0942	4.98	2124	6.12
12	6.07	0412	-0.48	1018	5.07	1618	1.02	12	6.07	0412	-0.48	1018	5.07	2206	5.58
13	5.06	0448	0.00	1106	5.06	1706	1.14	13	5.06	0448	0.00	1106	5.06	2254	4.93
14	4.40	0524	0.57	1142	4.98	1754	1.33	14	4.40	0524	0.57	1142	4.98	2348	4.23
15	3.66	0554	1.17	1230	4.83	1906	1.53	15	3.66	0554	1.17	1230	4.83	1906	1.53
16	3.07	0054	3.58	0642	1.74	1318	4.67	16	3.07	0054	3.58	0642	1.74	2036	1.61
17	3.11	0224	3.10	0730	2.24	1424	4.57	17	3.11	0224	3.10	0730	2.24	2212	1.46
18	3.46	0436	3.01	0848	2.60	1536	4.59	18	3.46	0436	3.01	0848	2.60	2330	1.13
19	2.04	0606	3.23	1018	2.71	1636	4.75	19	2.04	0606	3.23	1018	2.71	1636	4.75
20	4.21	0018	0.78	0648	3.49	1130	2.60	20	4.21	0018	0.78	0648	3.49	1730	4.99
21	4.76	0054	0.48	0718	3.72	1218	2.60	21	4.76	0054	0.48	0718	3.72	1812	5.24
22	5.22	0130	0.24	0742	3.93	1254	2.15	22	5.22	0130	0.24	0742	3.93	1848	5.45
23	5.53	0154	0.07	0806	4.14	1330	1.89	23	5.53	0154	0.07	0806	4.14	1930	5.60
24	5.69	0224	-0.02	0836	4.35	1354	1.64	24	5.69	0224	-0.02	0836	4.35	1954	5.67
25	5.66	0248	-0.03	0854	4.56	1436	1.42	25	5.66	0248	-0.03	0854	4.56	2036	5.62
26	5.41	0318	0.04	0924	4.74	1512	1.24	26	5.41	0318	0.04	0924	4.74	2112	5.45
27	4.94	0342	0.22	0954	4.90	1548	1.12	27	4.94	0342	0.22	0954	4.90	2148	5.16
28	4.53	0412	0.50	1024	5.02	1630	0.07	28	4.53	0412	0.50	1024	5.02	2224	4.74
29	4.23	0442	0.86	1048	5.09	1724	1.09	29	4.23	0442	0.86	1048	5.09	2306	4.23
30	3.95	0512	1.29	1130	5.10	1824	1.15	30	3.95	0512	1.29	1130	5.10	1942	1.15
31	3.91	0012	3.68	0554	1.75	1218	5.06	31	3.91	0012	3.68	0554	1.75	1942	1.15

TABLE 12. Point Mugu Tides, September 1995

Pacific Standard Time - Add one hour for Daylight Savings Time							
Date	Range	Time	Ht	Time	Ht	Time	Ht
01	4.07	0142	3.24	0642	2.20	1324	5.03
02	4.53	0342	3.17	0812	2.53	1454	5.10
03	5.21	0518	3.48	0954	2.55	1612	5.34
04	3.40	0618	3.88	1112	2.26	1724	5.65
05	6.17	0036	-0.23	0654	4.30	1218	5.94
06	6.54	0118	-0.45	0730	4.68	1306	1.35
07	6.57	0154	-0.49	0806	5.01	1354	0.95
08	6.25	0230	-0.37	0830	5.26	1436	0.66
09	5.64	0306	-0.10	0906	5.41	1518	0.52
10	5.17	0336	-0.28	0936	5.44	1554	0.51
11	4.73	0406	0.73	1012	5.37	1642	0.64
12	4.34	0436	1.24	1048	5.20	1730	0.86
13	3.83	0512	1.74	1124	4.96	1824	1.12
14	3.34	0030	3.47	0542	2.22	1206	4.68
15	3.03	0206	3.12	0624	2.65	1306	4.42
16	3.06	0424	3.15	0754	2.96	1430	4.27
17	3.38	0542	3.42	0954	2.97	1554	4.34
18	1.84	0618	3.70	1112	2.70	1654	4.55
19	4.08	0012	0.72	0642	3.97	1154	2.35
20	4.49	0048	0.53	0700	4.24	1242	1.95
21	4.78	0118	0.40	0724	4.52	1312	1.54
22	4.91	0142	0.35	0748	4.81	1348	1.15
23	4.87	0206	0.37	0818	5.09	1424	0.79
24	4.87	0236	0.47	0842	5.34	1454	0.49
25	5.25	0306	0.67	0912	5.54	1536	0.29
26	5.45	0336	0.96	0942	5.65	1624	0.21
27	5.41	0406	1.33	1018	5.66	1712	0.25
28	5.17	0442	1.75	1054	5.54	1812	0.37
29	4.83	0024	3.61	0530	2.18	1148	5.32
30	4.58	0200	3.40	0636	2.58	1300	5.07

TABLE 13. Point Mugu Tides, October 1995

Pacific Standard Time - Add one hour for Daylight Savings Time							
Date	Range	Time	Ht	Time	Ht	Time	Ht
01	4.58	0348	3.55	0824	2.76	1430	4.92
02	4.81	0454	3.92	1006	2.53	1554	4.97
03	3.10	0548	4.34	1124	2.03	1712	5.13
04	5.23	0006	0.04	0630	4.76	1218	1.46
05	5.28	0048	0.04	0706	5.12	1306	0.93
06	5.26	0124	0.16	0736	5.42	1348	0.50
07	5.41	0154	0.37	0806	5.62	1430	0.21
08	5.66	0230	0.66	0830	5.72	1506	0.06
09	5.66	0254	1.00	0900	5.71	1548	0.05
10	5.43	0330	1.38	0924	5.59	1624	0.16
11	5.02	0354	1.76	0954	5.39	1706	0.37
12	4.49	0424	2.14	1036	5.12	1754	0.63
13	3.90	0018	3.41	0454	2.51	1112	4.79
14	3.37	0142	3.22	0536	2.85	1154	4.44
15	3.01	0342	3.28	0654	3.12	1306	4.13
16	2.93	0454	3.54	0924	3.09	1442	3.97
17	3.10	0530	3.83	1048	2.74	1606	4.02
18	3.36	0554	4.14	1142	2.27	1706	4.19
19	2.73	0612	4.48	1218	1.75	1754	4.38
20	4.07	0024	0.77	0636	4.84	1254	1.19
21	4.57	0054	0.76	0700	5.22	1330	0.65
22	5.44	0124	0.81	0730	5.58	1406	0.15
23	6.16	0154	0.93	0806	5.90	1448	-0.26
24	6.65	0230	1.11	0836	6.13	1530	-0.53
25	6.85	0306	1.36	0912	6.22	1618	-0.63
26	6.71	0342	1.67	0954	6.15	1706	-0.57
27	6.28	0430	2.02	1042	5.90	1806	-0.38
28	5.65	0042	3.74	0524	2.37	1130	5.51
29	4.97	0154	3.72	0642	2.65	1236	4.44
30	4.44	0318	3.94	0830	2.66	1406	4.67
31	4.14	0424	4.31	1006	2.28	1536	4.47

TABLE 14. Point Mugu Tides, November 1995

November 1995
Mugu Lagoon (Ocean Piers), CA
34° 06' 0" North, 119° 06' 0" West
Tidal range, highs, and lows in feet.

Pacific Standard Time - Add one hour for Daylight Savings Time							
Date	Range	Time	Ht	Time	Ht	Time	Ht
01	4.26	0512	4.71	1124	1.70	1654	4.44
02	4.01	0554	5.10	1218	1.09	1806	4.46
03	4.86	0012	0.62	0630	5.42	1306	0.56
04	5.51	0054	0.83	0706	5.66	1348	0.15
05	5.93	0124	1.07	0736	5.81	1424	-0.13
06	6.13	0154	1.32	0806	5.86	1454	-0.27
07	6.13	0224	1.58	0824	5.84	1536	-0.30
08	5.95	0254	1.83	0854	5.73	1612	-0.22
09	5.61	0324	2.08	0924	5.54	1648	-0.07
10	5.14	0354	2.33	0954	5.29	1730	0.15
11	4.53	0430	2.59	1036	4.97	1812	0.39
12	3.96	0106	3.37	0512	2.84	1112	4.60
13	3.35	0224	3.42	0618	3.04	1206	4.20
14	2.83	0336	3.60	0812	3.06	1318	3.82
15	2.82	0424	3.89	0954	2.74	1454	3.59
16	3.11	0454	4.23	1106	2.21	1618	3.57
17	3.46	0524	4.62	1154	1.58	1724	3.68
18	4.15	0548	5.05	1236	0.90	1818	3.85
19	5.27	0006	1.20	0618	5.51	1318	0.23
20	6.32	0042	1.25	0654	5.95	1354	-0.37
21	7.18	0124	1.32	0730	6.32	1436	-0.86
22	7.74	0154	1.43	0812	6.57	1524	-1.17
23	7.92	0242	1.57	0854	6.64	1606	-1.28
24	7.70	0330	1.75	0936	6.50	1654	-1.19
25	7.09	0424	1.98	1030	6.16	1748	-0.93
26	6.18	0024	4.03	0524	2.21	1124	5.63
27	5.12	0130	4.09	0642	2.38	1218	4.99
28	4.09	0236	4.27	0812	2.34	1336	4.37
29	3.91	0336	4.56	0954	1.99	1512	3.93
30	3.93	0430	4.89	1112	1.43	1636	3.72

TABLE 15. Point Mugu Tides, December 1995

December 1995								
Mugu Lagoon (Ocean Piers), CA								
34° 06.0' North, 119° 06.0' West								
Tidal range, highs, and lows in feet								
Pacific Standard Time - Add one hour for Daylight Savings Time	Date	Range	Time	Ht	Time	Ht	Time	
Pacific Standard Time - Add one hour for Daylight Savings Time	01	4.36	0518	5.21	1212	0.84	1754	3.69
	02	5.13	0606	5.47	1254	0.34	1854	3.72
	03	5.70	0018	1.45	0636	5.66	1342	-0.04
	04	6.08	0054	1.64	0712	5.78	1418	-0.30
	05	6.29	0130	1.80	0742	5.83	1454	-0.45
	06	6.34	0154	1.92	0812	5.83	1524	-0.51
	07	6.26	0236	2.03	0836	5.77	1554	-0.49
	08	6.03	0306	2.15	0906	5.64	1630	-0.39
	09	5.66	0336	2.27	0936	5.43	1706	-0.23
	10	5.14	0412	2.42	1006	5.14	1736	-0.01
	11	4.50	0018	3.59	0454	2.58	1048	4.76
	12	3.76	0112	3.63	0554	2.72	1124	4.32
	13	2.97	0154	3.74	0712	2.77	1218	3.83
	14	2.81	0254	3.95	0854	2.58	1336	3.37
	15	2.89	0342	4.26	1024	2.10	1524	3.09
	16	3.23	0424	4.66	1130	1.42	1654	3.09
	17	4.45	0506	5.12	1218	0.68	1806	3.28
	18	5.69	0542	5.62	1306	-0.06	1900	3.53
	19	6.83	0006	1.62	0624	6.11	1348	-0.72
	20	7.75	0054	1.59	0706	6.52	1430	-1.24
	21	8.33	0148	1.54	0754	6.78	1512	-1.55
	22	8.48	0236	1.51	0842	6.84	1554	-1.64
	23	8.16	0324	1.53	0930	6.66	1642	-1.50
	24	7.39	0418	1.61	1018	6.24	1730	-1.15
	25	6.26	0512	1.74	1112	5.61	1812	-0.66
	26	4.91	0048	4.44	0624	1.86	1206	4.84
	27	3.99	0148	4.52	0748	1.90	1312	4.06
	28	3.58	0242	4.65	0924	1.71	1442	3.43
	29	3.55	0342	4.83	1054	1.28	1624	3.14
	30	4.28	0442	5.04	1154	0.76	1754	3.15
	31	4.95	0530	5.24	1254	0.29	1906	3.29

TABLE 16. San Nicolas Island Tides, January 1995

	Date	Range	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht
	01	7.77	0236	1.38	0836	6.24	1548	-1.53	2212	3.94	01	5.94	0354	0.89	0954	5.27	1642	-0.66	2254	4.26		
	02	7.39	0318	1.34	0924	6.04	1630	-1.35	2254	4.01	02	4.95	0442	0.96	1036	4.75	1712	-0.20	2330	4.21		
	03	6.64	0406	1.37	1006	5.64	1712	-1.00	2336	4.04	03	3.82	0530	1.10	1118	4.14	1748	0.31				
	04	5.58	0500	1.47	1054	5.07	1754	-0.52	04	3.27	0012	4.12	0624	1.28	1154	3.49	1824	0.84				
	05	4.35	0024	4.04	0554	1.62	1136	4.38	1836	0.03	05	2.65	0054	3.99	0736	1.44	1254	2.88	1854	1.35		
	06	3.42	0154	4.02	0836	1.77	1342	3.00	2006	1.14	06	2.42	0148	3.88	0912	1.45	1436	2.42	1948	1.79		
	08	2.50	0254	4.06	1018	1.56	1530	2.56	2054	1.59	07	2.62	0254	3.83	1054	1.22	1712	2.36	2106	2.12		
	09	3.01	0354	4.16	1142	1.15	1730	2.50	2206	1.91	08	3.09	0406	3.91	1206	0.83	1842	2.60	2242	2.22		
	10	3.63	0454	4.32	1242	0.69	1854	2.67	2318	2.06	09	3.68	0506	4.11	1254	0.44	1924	2.85	2354	2.13		
	11	4.19	0548	4.53	1312	0.35	1936	2.89	2010	4.28	10	4.28	0554	4.37	1324	0.10	1948	3.07				
	12	4.74	0006	1.99	0624	4.75	1348	0.01	2012	3.07	11	4.82	0036	1.94	0636	4.64	1354	-0.18	2012	3.29		
	13	5.22	0048	1.94	0654	4.95	1418	-0.26	2042	3.22	12	5.26	0112	1.71	0712	4.87	1418	-0.39	2036	3.49		
	14	5.59	0124	1.85	0730	5.13	1448	-0.46	2106	3.35	13	5.56	0148	1.46	0748	5.04	1448	-0.52	2054	3.70		
	15	5.84	0200	1.75	0806	5.25	1524	-0.59	2136	3.47	14	5.68	0224	1.23	0824	5.12	1518	0.00	2124	3.90		
	16	5.93	0236	1.66	0836	5.29	1548	-0.64	2154	3.58	15	5.59	0254	1.02	0854	5.08	1548	-0.51	2154	4.08		
	17	5.84	0312	1.59	0906	5.24	1618	-0.60	2230	3.68	16	5.24	0342	0.85	0930	4.91	1618	-0.34	2218	4.23		
	18	5.53	0348	1.54	0942	5.07	1648	-0.47	2254	3.77	17	4.64	0418	0.74	1012	4.59	1648	-0.05	2254	4.34		
	19	5.00	0430	1.53	1018	4.77	1718	0.23	2336	3.86	18	4.08	0506	0.71	1054	4.13	1718	0.32	2330	4.40		
	20	4.25	0518	1.55	1054	4.35	1748	0.09	19	2.83	0554	0.75	1142	3.58	1754	0.77						
	21	3.46	0012	3.95	0612	1.57	1142	0.49	20	3.60	0012	4.40	0706	0.80	1248	3.00	1830	1.24				
	22	3.12	0054	4.05	0718	1.55	1242	3.22	1900	0.93	21	3.60	0112	4.37	0830	0.77	1430	2.59	1930	1.69		
	23	2.83	0154	4.19	0854	1.36	1418	2.71	2000	1.36	22	3.86	0224	4.36	1012	0.50	1642	2.59	2100	1.98		
	24	3.48	0254	4.39	1030	0.91	1624	2.55	2112	1.69	23	4.41	0342	4.48	1130	0.07	1806	2.92	2242	1.95		
	25	4.39	0406	4.68	1154	0.29	1754	2.77	2242	1.81	24	5.09	0454	4.73	1230	-0.36	1854	3.29	2354	1.68		
	26	5.37	0512	5.05	1248	-0.31	1906	3.11	2354	1.72	25	5.69	0554	5.01	1318	-0.68	1936	3.64				
	27	6.24	0606	5.43	1336	-0.81	1948	3.44	26	6.08	0054	1.31	0654	5.23	1354	-0.85	2006	3.95				
	28	6.87	0054	1.51	0654	5.73	1418	-1.14	2030	3.74	27	6.18	0148	0.94	0742	5.32	1436	-0.86	2042	4.19		
	29	7.17	0148	1.27	0748	5.89	1454	-1.28	2106	3.97	28	5.98	0230	0.65	0824	5.26	1512	-0.72	2112	4.37		
	30	7.11	0230	1.06	0830	5.87	1536	-1.24	2142	4.14												
	31	6.68	0318	0.93	0912	5.66	1606	-1.02	2218	4.24												

TABLE 17. San Nicolas Island Tides, February 1995

	Date	Range	Time	Ht																		
	February 1995																					
	San Nicolas Island, CA																					
	33° 16.0' North, 119° 30.0' West																					
	Tidal range, highs, and lows in feet																					
	Pacific Standard Time - Add one hour for Daylight Savings Time																					

TABLE 20. San Nicolas Island Tides, May 1995

	Pacific Standard Time - Add one hour for Daylight Savings Time					
Date	Range	Time	Ht	Time	Ht	Time
01	4.95	0436-0.31	1048	3.17	1548	1.60
02	4.62	0506-0.19	1130	2.99	1612	1.84
03	4.20	0548-0.01	1224	2.84	1648	2.07
04	3.71	0636-0.19	1330	2.76	1730	2.30
05	2.43	0730-0.37	1448	2.81	1848	2.48
06	3.08	0030	3.58	0836	0.51	1554
07	2.74	0148	3.32	0936	0.58	1642
08	3.00	0324	3.20	1030	0.61	1718
09	3.38	0442	3.24	1118	0.62	1748
10	3.79	0012	1.09	0548	3.37	1154
11	4.42	0054	0.45	0642	3.53	1230
12	5.45	0136-0.18	0736	3.66	1312	0.75
13	6.31	0218-0.72	0824	3.74	1354	0.86
14	6.90	0306-1.12	0918	3.75	1436	1.01
15	7.12	0348-1.35	1006	3.69	1524	1.20
16	6.96	0448-1.38	1106	3.59	1612	1.42
17	6.45	0536-1.23	1206	3.51	1706	1.67
18	4.42	0636-0.94	1312	3.48	1812	1.89
19	5.31	0006	4.72	0736-0.58	1418	3.56
20	4.40	0112	4.18	0836-0.21	1524	3.75
21	3.88	0236	3.71	0930	0.13	1624
22	3.85	0354	3.41	1030	0.43	1704
23	3.83	0518	3.28	1124	0.70	1754
24	4.13	0036	0.59	0624	3.24	1206
25	4.66	0124	0.20	0718	3.24	1248
26	5.05	0206	-0.09	0806	3.25	1324
27	5.32	0242	-0.30	0848	3.24	1354
28	5.45	0318	-0.43	0924	3.22	1424
29	5.47	0348	-0.48	1006	3.20	1454
30	5.35	0424	-0.47	1042	3.16	1530
31	5.10	0454	-0.40	1124	3.12	1554

TABLE 21. San Nicolas Island Tides, June 1995

	Pacific Standard Time - Add one hour for Daylight Savings Time					
Date	Range	Time	Ht	Time	Ht	Time
01	4.73	0524	-0.26	1206	3.10	1636
02	4.25	0606	-0.09	1254	3.11	1724
03	3.68	0648	0.13	1348	3.18	1824
04	2.99	0730	0.35	1436	3.34	1954
05	3.01	0054	3.42	0824	0.58	1524
06	3.14	0224	3.09	0918	0.79	1612
07	3.37	0354	2.94	1012	0.97	1654
08	3.69	0524	2.98	1054	1.10	1730
09	4.96	0042	0.29	0630	3.13	1154
10	6.03	0130	-0.37	0730	3.33	1236
11	6.90	0212	-0.92	0824	3.51	1324
12	7.44	0254	-1.32	0912	3.65	1412
13	7.60	0342	-1.52	1006	3.75	1506
14	7.34	0430	-1.51	1054	3.81	1554
15	6.69	0524	-1.30	1148	3.85	1654
16	5.74	0612	-0.95	1242	3.90	1754
17	4.46	0654	-0.48	1336	3.97	1918
18	4.11	0048	4.14	0754	0.03	1436
19	3.72	0154	3.53	0848	0.52	1536
20	3.46	0330	3.08	0936	0.96	1630
21	3.29	0454	2.89	1030	1.31	1712
22	4.09	0024	0.68	0618	2.89	1124
23	4.61	0112	0.30	0718	2.98	1212
24	5.03	0154	0.01	0806	3.08	1254
25	5.34	0230	-0.21	0848	3.17	1330
26	5.55	0306	-0.36	0918	3.25	1406
27	5.64	0336	-0.45	0954	3.32	1442
28	5.59	0406	-0.47	1024	3.37	1512
29	5.39	0436	-0.42	1054	3.42	1548
30	5.03	0506	-0.31	1130	3.47	1624

TABLE 22. San Nicolas Island Tides, July 1995

Pacific Standard Time - Add one hour for Daylight Savings Time										Pacific Standard Time - Add one hour for Daylight Savings Time									
Date	Range	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Date	Range	Time	Ht	Time	Ht	Time	Ht	Time	Ht
01	4.52	0530	-0.12	1206	3.53	1706	2.12	2254	4.40	01	3.49	0554	0.73	1230	4.22	1848	1.67		
02	3.86	0606	0.12	1248	3.62	1800	2.16	2336	3.99	02	3.20	0018	3.49	0636	1.13	1318	4.33	2006	1.57
03	3.34	0642	0.42	1330	3.76	1912	2.13			03	3.23	0136	3.00	0718	1.54	1418	4.49	2148	1.25
04	3.21	0030	3.52	0718	0.76	1418	3.97	2048	1.93	04	3.99	0330	2.74	0836	1.88	1524	4.72	2312	0.73
05	3.15	0148	3.06	0812	1.10	1512	4.25	2218	1.49	05	3.00	0518	2.87	0954	2.06	1636	5.06		
06	3.73	0330	2.78	0912	1.39	1606	4.61	2330	0.88	06	5.29	0018	0.16	0630	3.18	1118	2.01	1736	5.44
07	3.43	0512	2.79	1018	1.60	1654	5.03			07	6.15	0106	-0.36	0718	3.54	1224	1.80	1830	5.79
08	5.25	0030	0.21	0630	3.01	1124	1.68	1748	5.46	08	6.75	0148	-0.73	0754	3.87	1318	1.52	1918	6.02
09	6.27	0118	-0.41	0730	3.29	1224	1.64	1842	5.85	09	7.01	0230	-0.93	0842	4.17	1400	1.24	2006	6.08
10	7.05	0118	-0.91	0818	3.57	1312	1.54	1930	6.14	10	6.89	0306	-0.95	0918	4.40	1448	1.03	2054	5.94
11	7.50	0242	-1.24	0854	3.82	1406	1.42	2018	6.25	11	6.38	0342	-0.77	0954	4.57	1536	0.93	2136	5.61
12	7.54	0324	-1.37	0948	4.01	1454	1.33	2054	6.17	12	5.56	0418	-0.44	1030	4.65	1624	0.94	2218	5.12
13	7.15	0412	-1.29	1030	4.16	1548	1.30	2148	5.87	13	4.64	0454	0.00	1112	4.64	1718	1.05	2306	4.52
14	6.39	0454	-1.01	1112	4.25	1648	1.34	2236	5.38	14	4.03	0536	0.53	1148	4.56	1812	1.22	2354	3.88
15	5.34	0536	-0.59	1154	4.30	1742	1.45	2324	4.74	15	3.35	0612	1.07	1236	4.43	1918	1.40		
16	4.38	0618	-0.07	1248	4.31	1848	1.57			16	2.81	0512	3.28	0654	1.60	1324	4.28	2048	1.47
17	3.81	0018	4.05	0706	0.50	1336	4.30	2006	1.63	17	2.85	0230	2.84	0742	2.05	1430	4.19	2224	1.34
18	3.26	0130	3.39	0748	1.05	1436	4.31	2136	1.53	18	3.17	0442	2.75	0854	2.38	1542	4.21	2342	1.04
19	3.13	0254	2.90	0842	1.54	1536	4.37	2306	1.24	19	1.87	0612	2.96	1024	2.48	1648	4.35		
20	2.59	0448	2.73	0942	1.90	1630	4.48			20	3.86	0024	0.72	0654	3.20	1136	2.39	1742	4.57
21	3.78	0006	0.86	0618	2.83	1048	2.10	1724	4.64	21	4.36	0106	0.44	0730	3.41	1224	2.20	1824	4.80
22	4.32	0054	0.50	0718	3.01	1148	2.16	1806	4.82	22	4.78	0136	0.22	0754	3.61	1300	1.97	1854	5.00
23	4.80	0136	0.21	0754	3.19	1236	2.12	1848	5.00	23	5.07	0206	0.06	0818	3.80	1342	1.73	1936	5.14
24	5.18	0206	-0.02	0830	3.34	1318	2.03	1918	5.16	24	5.22	0236	-0.02	0842	3.99	1412	1.50	2006	5.19
25	5.45	0242	-0.19	0854	3.48	1354	1.93	1954	5.26	25	5.18	0254	-0.03	0906	4.18	1448	1.30	2042	5.15
26	5.59	0312	-0.29	0924	3.61	1430	1.82	2024	5.30	26	4.96	0330	0.04	0930	4.35	1524	1.14	2118	5.00
27	5.56	0336	-0.31	0948	3.73	1454	1.74	2054	5.25	27	4.53	0354	0.20	0954	4.49	1554	1.03	2154	4.73
28	5.37	0406	-0.27	1018	3.84	1536	1.68	2130	5.10	28	4.15	0424	0.45	1030	4.60	1642	0.98	2230	4.35
29	4.98	0430	-0.13	1048	3.94	1618	1.66	2154	4.84	29	3.88	0454	0.79	1054	4.66	1730	1.00	2318	3.88
30	4.40	0454	0.08	1118	4.04	1654	1.66	2242	4.48	30	3.62	0518	1.18	1142	4.67	1830	1.05		
31	3.75	0524	0.38	1148	4.13	1742	1.68	2324	4.02	31	3.59	0024	3.37	0600	1.60	1230	4.64	1948	1.05

TABLE 24. San Nicolas Island Tides, September 1995

Pacific Standard Time - Add one hour for Daylight Savings Time									
Date	Range	Time	Ht	Time	Ht	Time	Ht	Time	Ht
01	3.73	0154	2.97	0648	2.02	1336	4.61	2124	0.88
02	4.15	0354	2.91	0818	2.32	1454	4.68	2254	0.52
03	4.77	0524	3.19	1006	2.34	1618	4.89	2354	0.12
04	3.11	0624	3.56	1124	2.07	1730	5.18	04	4.79
05	5.65	0048	-0.21	0654	3.94	1230	1.61	1824	5.44
06	5.99	0130	-0.41	0736	4.29	1318	1.21	1912	5.58
07	6.02	0206	-0.45	0812	4.59	1406	0.81	1954	5.57
08	5.73	0242	-0.34	0842	4.82	1442	0.61	2042	5.39
09	5.17	0312	-0.10	0918	4.96	1524	0.47	2124	5.07
10	4.74	0342	0.25	0948	4.99	1606	0.47	2206	4.65
11	4.33	0412	0.67	1024	4.92	1648	0.59	2248	4.16
12	3.98	0442	1.13	1054	4.77	1742	0.79	2336	3.65
13	3.51	0524	1.60	1130	4.54	1836	1.03	09	3.58
14	3.06	0036	3.18	0554	2.04	1212	4.29	1948	1.23
15	2.78	0212	2.86	0636	2.43	1312	4.05	2124	1.27
16	2.80	0430	2.88	0806	2.71	1436	3.91	2248	1.11
17	3.10	0548	3.13	1012	2.72	1554	3.97	2342	0.88
18	1.69	0624	3.39	1118	2.48	1706	4.17	08	3.03
19	3.74	0018	0.66	0654	3.64	1206	2.15	1754	4.40
20	4.12	0054	0.48	0712	3.88	1248	1.79	1836	4.60
21	4.38	0124	0.37	0736	4.14	1318	1.42	1912	4.75
22	4.50	0148	0.32	0754	4.41	1354	1.05	1948	4.82
23	4.46	0218	0.34	0824	4.67	1436	0.72	2024	4.80
24	4.47	0248	0.43	0848	4.90	1512	0.45	2106	4.67
25	4.82	0318	0.62	0918	5.08	1548	0.26	2148	4.42
26	4.99	0348	0.88	0948	5.18	1636	0.19	2230	4.08
27	4.96	0418	1.22	1024	5.19	1724	0.23	2324	3.68
28	4.74	0454	1.60	1106	5.08	1818	0.34	28	5.17
29	4.43	0036	3.31	0536	2.00	1154	4.88	1936	0.45
30	4.20	0212	3.12	0642	2.36	1312	4.65	2100	0.45

TABLE 25. San Nicolas Island Tides, October 1995

Pacific Standard Time - Add one hour for Daylight Savings Time									
Date	Range	Time	Ht	Time	Ht	Time	Ht	Time	Ht
01	4.20	0354	3.25	0830	2.53	1442	4.51	2218	0.31
02	4.41	0506	3.59	1018	2.32	1606	4.56	2330	0.15
03	2.84	0554	3.98	1136	1.86	1718	4.70		
04	4.79	0018	0.04	0636	4.36	1230	1.34	1818	4.84
05	4.84	0054	0.04	0712	4.70	1318	0.85	1906	4.88
06	4.83	0136	0.14	0742	4.97	1354	0.46	1954	4.81
07	4.96	0212	0.34	0812	5.15	1442	0.19	2036	4.65
08	5.19	0242	0.60	0842	5.24	1512	0.06	2118	4.40
09	5.18	0306	0.92	0912	5.23	1554	0.05	2154	4.10
10	4.98	0336	1.26	0936	5.13	1630	0.15	2236	3.76
11	4.60	0400	1.62	1006	4.94	1712	0.34	2324	3.43
12	4.11	0430	1.97	1042	4.69	1806	0.58		
13	3.58	0024	3.13	0506	2.30	1118	4.39	1854	0.82
14	3.09	0148	2.95	0548	2.61	1154	4.07	2012	0.99
15	2.76	0348	3.01	0712	2.86	1312	3.78	2130	1.02
16	2.69	0454	3.25	0936	2.83	1448	3.64	2236	0.95
17	2.84	0536	3.51	1054	2.51	1612	3.69	2324	0.85
18	3.03	0554	3.80	1148	2.08	1718	3.84	2400	0.76
19	2.51	0624	4.11	1224	1.60	1806	4.01		
20	3.73	0030	0.71	0648	4.44	1300	1.09	1848	4.16
21	4.19	0100	0.70	0712	4.78	1336	0.59	1930	4.26
22	4.98	0130	0.74	0742	5.12	1418	0.14	2012	4.29
23	5.65	0206	0.85	0812	5.41	1454	-0.24	2054	4.22
24	6.10	0242	1.01	0842	5.62	1542	-0.48	2142	4.07
25	6.28	0318	1.24	0918	5.70	1630	-0.57	2236	3.85
26	6.15	0354	1.53	0954	5.63	1718	-0.52	2336	3.61
27	5.75	0442	1.85	1048	5.41	1818	-0.34		
28	5.17	0048	3.43	0536	2.18	1142	5.05	1918	-0.12
29	4.56	0206	3.41	0648	2.43	1248	4.63	2030	0.07
30	4.07	0330	3.61	0836	2.44	1418	4.28	2142	0.21
31	3.80	0436	3.95	1012	2.09	1548	4.10	2242	0.30

TABLE 26. San Nicolas Island Tides, November 1995

Pacific Standard Time - Add one hour for Daylight Savings Time									
Date	Range	Time	Ht	Time	Ht	Time	Ht	Time	Ht
01	3.90	0524	4.32	1136	1.56	1706	4.07	2342	0.42
02	3.67	0606	4.67	1230	1.00	1812	4.09	02	4.70
03	4.46	0024	0.57	0636	4.97	1318	0.51	1906	4.08
04	5.05	0106	0.76	0712	5.19	1354	0.14	1948	4.03
05	5.44	0136	0.98	0742	5.33	1436	-0.11	2030	3.93
06	5.62	0206	1.21	0812	5.38	1512	-0.25	2112	3.80
07	5.62	0236	1.44	0836	5.35	1542	-0.27	2154	3.65
08	5.45	0300	1.68	0906	5.25	1618	-0.20	2236	3.48
09	5.14	0330	1.91	0936	5.08	1654	-0.06	2318	3.31
10	4.71	0400	2.14	1006	4.85	1736	0.13	10	4.71
11	4.19	0012	3.17	0436	2.37	1042	4.56	1824	0.36
12	3.63	0112	3.09	0524	2.60	1118	4.21	1918	0.59
13	3.07	0230	3.13	0630	2.79	1212	3.85	2012	0.77
14	2.60	0342	3.30	0824	2.80	1324	3.50	2112	0.90
15	2.58	0430	3.56	1012	2.51	1454	3.29	2206	0.98
16	2.85	0454	3.87	1118	2.03	1624	3.27	2254	1.03
17	3.17	0530	4.23	1200	1.45	1736	3.37	2330	1.06
18	3.80	0554	4.63	1242	0.83	1830	3.53	18	5.21
19	4.84	0012	1.10	0630	5.05	1324	0.22	1918	3.67
20	5.79	0048	1.15	0706	5.45	1400	-0.34	2006	3.79
21	6.58	0130	1.21	0742	5.79	1448	-0.79	2054	3.84
22	7.09	0212	1.31	0818	6.02	1536	-1.07	2142	3.84
23	7.26	0254	1.44	0854	6.08	1618	-1.18	2236	3.79
24	7.06	0342	1.61	0942	5.96	1712	-1.09	2330	3.72
25	6.50	0436	1.81	1036	5.64	1754	-0.86	2330	3.72
26	5.67	0030	3.69	0536	2.03	1130	5.16	1854	-0.51
27	4.70	0136	3.75	0654	2.18	1230	4.58	1954	-0.12
28	3.75	0248	3.92	0818	2.14	1348	4.01	2054	0.26
29	3.58	0348	4.18	1000	1.82	1524	3.60	2154	0.60
30	3.60	0442	4.48	1118	1.31	1648	3.41	2254	0.88

TABLE 27. San Nicolas Island Tides, December 1995

Pacific Standard Time - Add one hour for Daylight Savings Time									
Date	Range	Time	Ht	Time	Ht	Time	Ht	Time	Ht
01	4.00	0530	4.77	1224	0.77	1806	3.38	2348	1.13
02	4.70	0612	5.01	1312	0.31	1906	3.41		
03	5.23	0030	1.33	0642	5.19	1354	-0.04	1954	3.44
04	5.57	0112	1.50	0718	5.30	1430	-0.28	2036	3.45
05	5.76	0142	1.65	0748	5.35	1506	-0.41	2112	3.45
06	5.81	0212	1.76	0818	5.35	1536	-0.47	2148	3.42
07	5.74	0248	1.86	0848	5.29	1600	-0.45	2224	3.39
08	5.53	0312	1.97	0918	5.17	1636	-0.36	2306	3.35
09	5.18	0342	2.09	0948	4.98	1712	-0.21	2342	3.31
10	4.71	0400	2.22	1018	4.71	1742	-0.01		
11	4.13	0030	3.29	0500	2.37	1054	4.37	1830	0.24
12	3.45	0118	3.32	0606	2.49	1130	3.96	1906	0.51
13	2.73	0206	3.43	0724	2.53	1224	3.52	1954	0.79
14	2.57	0254	3.62	0906	2.37	1342	3.09	2042	1.05
15	2.65	0348	3.90	1036	1.92	1530	2.83	2142	1.26
16	2.96	0430	4.27	1142	1.30	1706	2.83	2236	1.40
17	4.08	0512	4.70	1224	0.62	1818	3.00	2324	1.48
18	5.21	0554	5.16	1312	-0.06	1912	3.24		
19	6.26	0012	1.49	0636	5.60	1354	-0.66	2006	3.47
20	7.11	0106	1.46	0718	5.97	1436	-1.13	2054	3.66
21	7.64	0154	1.42	0806	6.21	1524	-1.42	2136	3.81
22	7.77	0248	1.39	0848	6.27	1606	-1.51	2224	3.91
23	7.48	0336	1.40	0936	6.10	1654	-1.38	2312	3.97
24	6.78	0430	1.47	1024	5.72	1742	-1.06	2354	4.02
25	5.74	0524	1.59	1118	5.14	1824	-0.60		
26	4.50	0054	4.07	0636	1.71	1212	4.44	1918	-0.06
27	3.66	0154	4.14	0754	1.74	1324	3.72	2006	0.49
28	3.28	0254	4.26	0930	1.56	1454	3.15	2106	0.98
29	3.26	0354	4.43	1100	1.17	1636	2.88	2206	1.37
30	3.92	0454	4.62	1206	0.69	1806	2.89	2306	1.63
31	4.54	0542	4.80	1306	0.26	1912	3.02		

Astronomical Applications Dept.
U.S. Naval Observatory
Washington, D.C. 20392-5420

TABLE 28. Moonrise and Moonset, Barking Sands, 1995

Location: N159°47', W22°02'
Barking Sands, Kauai, Hawaii
Rise and Set for the Moon for 1995
Hawaii-Aleutian Time

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Day	Rise h m											
	Set h m											
01	0728 1855	0826 2036	0700 1917	0733 2039	0737 2105	0845 2206	0916 2207	1045 2246	1235 2358	1324	1432 0144	1433 0226
02	0821 1958	0906 2131	0740 2012	0814 2131	0823 2153	0936 2247	1008 2245	1142 2329	1335	1416 0051	1513 0240	1513 0319
03	0909 2058	0945 2224	0819 2105	0857 2221	0911 2240	1027 2327	1100 2324	1240	1433 0056	1504 0151	1553 0335	1553 0412
04	0953 2156	1024 2316	0858 2157	0914 2311	1000 2325	1119	1154	1341 0016	1528 0156	1550 0251	1633 0430	1636 0504
05	1034 2250	1102	0938 2248	1028 2358	1050	1212 0006	1250 0004	1442 0108	1620 0258	1633 0349	1713 0523	1720 0555
06	1112 2343	1142 0007	1019 2339	1116	1141 0007	1306 0045	1349 0046	1543 0204,	1709 0359	1714 0446	1755 0617	1806 0646
07	1149	1224 0058	1102	1206 0045	1233 0048	1402 0125	1449 0132	1642 0304,	1754 0500	1755 0542	1839 0709	1854 0735
08	1227 0035	1308 0148	1147 0029	1258 0129	1327 0129	1501 0206	1552 0222	1738 0408	1838 0600	1836 0637	1924 0801	1943 0822
09	1305 0125	1354 0238	1235 0118	1350 0212	1421 0208	1602 0252	1656 0317	1830 0512	1919 0658	1917 0732	2011 0851	2032 0907
10	1346 0216	1443 0326	1324 0205	1444 0253	1518 0249	1707 0341	1759 0418	1918 0615	2000 0754	2000 0825	2059 0939	2122 0949
11	1428 0306	1534 0414	1416 0251	1540 0334	1617 0331	1812 0436	1858 0522	2003 0716	2041 0849	2044 0918	2148 1025	2212 1029
12	1513 0356	1627 0500	1509 0336	1637 0415	1719 0415	1917 0535	1953 0627	2045 0816	2123 0943	2130 1009	2238 1109	2302 1108
13	1601 0445	1721 0544	1603 0419	1736 0457	1824 0504	2018 0639	2043 0732	2126 0913	2206 1036	2217 1058	2328 1151	2353 1146
14	1651 0534	1816 0626	1659 0501	1837 0541	1929 0557	2115 0744	2129 0834	2207 1008	2251 1127	2306 1145	1231	1224
15	1743 0621	1912 0708	1755 0542	1940 0628	2034 0655	2206 0848	2211 0934	2247 1102	2337 1217	2355 1231	0019 1310	0046 1302
16	1836 0706	2008 0749	1854 0624	2045 0719	2137 0756	2253 0951	2252 1031	2329 1154	1306	1314	0110 1348	0140 1343
17	1930 0749	2106 0830	1953 0707	2149 0813	2234 0900	2335 1050	2331 1126	1246	0025 1352	0046 1355	0203 1427	0236 1427
18	2025 0830	2204 0912	2055 0751	2251 0911	2326 1003	1147	1219	0012 1336	0114 1437	0137 1435	0257 1508	0335 1515
19	2120 0910	2304 0956	2157 0839	2349 1012	1104	0016 1241	0011 1311	0057 1425	0204 1520	0229 1515	0354 1552	0438 1608
20	2215 0950	1043	2259 0929	1113	0014 1203	0054 1334	0051 1402	0143 1513	0256 1601	0322 1555	0454 1639	0542 1706
21	2312 1030	0005 1133	1023	0043 1214	0057 1259	0133 1426	0132 1453	0232 1559	0348 1641	0417 1635	0557 1731	0646 1809
22	1112	0106 1227	0001 1121	0131 1312	0137 1354	0211 1517	0215 1542	0322 1643	0441 1721	0514 1718	0701 1838	0748 1915
23	0010 1156	0206 1325	0059 1220	0216 1409	0216 1446	0252 1607	0301 1631	0413 1725	0536 1802	0613 1804	0805 1928	0845 2020
24	0110 1244	0304 1425	0154 1319	0257 1504	0254 1538	0334 1657	0348 1718	0505 1806	0631 1863	0714 1853	0907 2032	0938 2126
25	0211 1336	0358 1525	0245 1419	0336 1557	0332 1629	0418 1747	0438 1803	0558 1846	0729 1926	0817 1946	1005 2135	1027 2226
26	0313 1433	0449 1626	0332 1517	0415 1650	0411 1720	0504 1835	0528 1846	0651 1925	0828 2012	0920 2044	1058 2238	1111 2324
27	0414 1533	0536 1725	0416 1613	0453 1741	0452 1811	0552 1921	0620 1928	0745 2005	0928 2102	1021 2143	1147 2338	1153
28	0513 1635	0619 1822	0457 1708	0531 1833	0535 1901	0642 2005	0712 2008	0841 2046	1029 2155	1119 2245	1232	1234 0020
29	0607 1738	0615 1855	0653 2015	0707 2037	0733 2050	0804 2047	0937 2129	1129 2251	1213 2346	1313 0036	1313 0115	1354 0132
30	0657 1839	0615 1855	0653 2015	0707 2037	0824 2128	0857 2126	1035 2215	1228 2350	1303	1354 0208	1354 0300	1435 0300
31	0744 1939	0654 1948		0756 2123		0951 2205	1135 2305		1349 0046			

TABLE 29. Port Allen Tides, January 1995

January 1995										February 1995									
Port Allen, Hanapepe Bay, HI 21° 54.0' North, 159° 35.0' West Tidal range, highs, and lows in feet										Port Allen, Hanapepe Bay, HI 21° 54.0' North, 159° 35.0' West Tidal range, highs, and lows in feet									
Alaska-Hawaii Standard Time (AHST)										Alaska-Hawaii Standard Time (AHST)									
Date	Range	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Date	Range	Time	Ht	Time	Ht	Time	Ht	Time	Ht
01	2.48	0342	2.29	1054	0.03	1542	0.71	2112	-0.19	01	1.85	0436	1.85	1136	0.00	1654	0.99	2242	0.09
02	2.30	0418	2.22	1142	0.02	1630	0.75	2154	-0.08	02	1.65	0506	1.67	1206	0.01	1748	1.04	2330	0.25
03	2.06	0454	2.08	1218	0.02	1724	0.79	2248	0.07	03	1.43	0536	1.47	1236	0.04	1836	1.08		
04	1.86	0536	1.90	1254	0.04	1818	0.84	2336	0.26	04	1.20	0018	0.42	0606	1.26	1306	0.06	1936	1.13
05	1.62	0612	1.68	1330	0.05	1924	0.91			05	1.09	0124	0.57	0642	1.07	1342	0.09	2048	1.18
06	1.37	0630	0.46	0648	1.44	1406	0.07	2036	1.01	06	1.15	0254	0.68	0718	0.89	1430	0.12	2206	1.27
07	1.14	0148	0.64	0724	1.21	1448	0.08	2154	1.14	07	1.25	0512	0.67	0812	0.73	1524	0.13	2312	1.39
08	1.23	0336	0.75	0806	1.00	1530	0.08	2306	1.30	08	0.60	0654	0.56	0954	0.63	1624	0.13		
09	1.40	0548	0.73	0906	0.82	1618	0.07	2354	1.47	09	1.42	0006	1.51	0742	0.44	1124	0.60	1724	0.10
10	0.64	0724	0.61	1024	0.69	1706	0.05			10	1.58	0048	1.63	0818	0.34	1230	0.63	1812	0.05
11	1.58	0048	1.60	0812	0.50	1142	0.67	1754	0.01	11	1.72	0130	1.73	0848	0.25	1318	0.69	1854	0.00
12	1.75	0124	1.73	0848	0.39	1242	0.65	1836	-0.02	12	1.83	0154	1.80	0912	0.18	1354	0.76	1942	-0.03
13	1.88	0154	1.83	0924	0.30	1330	0.65	1918	-0.05	13	1.88	0236	1.83	0936	0.12	1436	0.85	2018	-0.05
14	1.97	0230	1.91	0954	0.23	1412	0.67	1954	-0.07	14	1.87	0306	1.83	0954	0.07	1512	0.94	2054	-0.04
15	2.02	0254	1.95	1018	0.18	1454	0.70	2030	-0.05	15	1.77	0336	1.78	1030	0.03	1554	1.03	2142	0.01
16	2.01	0336	1.96	1048	0.14	1530	0.74	2106	-0.05	16	1.70	0406	1.69	1054	-0.01	1630	1.13	2224	0.09
17	1.93	0354	1.94	1118	0.11	1606	0.78	2142	0.01	17	1.60	0436	1.56	1124	-0.04	1718	1.21	2318	0.21
18	1.80	0430	1.88	1142	0.08	1654	0.84	2224	0.09	18	1.45	0512	1.40	1154	-0.05	1812	1.29		
19	1.72	0506	1.77	1212	0.05	1742	0.91	2306	0.22	19	1.40	0012	0.35	0548	1.21	1230	-0.05	1912	1.35
20	1.60	0536	1.63	1242	0.02	1836	0.99	2354	0.38	20	1.45	0130	0.48	0630	1.01	1312	-0.03	2024	1.42
21	1.44	0612	1.44	1324	0.00	1942	1.09			21	1.51	0312	0.55	0724	0.81	1406	0.00	2142	1.51
22	1.25	0112	0.54	0654	1.24	1406	-0.02	2054	1.23	22	1.60	0512	0.50	0848	0.66	1518	0.03	2254	1.63
23	1.44	0254	0.66	0742	1.02	1454	-0.03	2218	1.41	23	1.72	0636	0.37	1036	0.60	1630	0.03	2354	1.75
24	1.67	0506	0.64	0854	0.83	1554	-0.06	2324	1.61	24	0.65	0730	0.24	1154	0.65	1742	0.00		
25	0.78	0648	0.50	1024	0.69	1654	-0.09			25	1.88	0054	1.84	0812	0.13	1306	0.75	1842	-0.04
26	1.94	0024	1.81	0754	0.34	1154	0.65	1754	-0.14	26	1.94	0142	1.88	0848	0.06	1354	0.86	1936	-0.06
27	2.15	0118	1.97	0836	0.20	1254	0.66	1848	-0.18	27	1.92	0218	1.86	0918	0.01	1436	0.98	2024	-0.06
28	2.28	0154	2.08	0918	0.10	1354	0.72	1936	-0.20	28	1.81	0254	1.79	0948	-0.02	1518	1.09	2112	-0.02
29	2.30	0242	2.12	0954	0.03	1448	0.79	2024	-0.19										
30	2.22	0324	2.09	1030	0.00	1530	0.86	2112	-0.13										
31	2.03	0354	1.99	1054	-0.01	1612	0.93												

TABLE 31. Port Allen Tides, March 1995

Date	Range	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht
01	1.70	0330	1.68	1018	-0.02	1554	1.18	2154	0.05	01	1.55	0406	1.05	1012	-0.01
02	1.54	0406	1.53	1042	-0.01	1636	1.25	2242	0.15	02	1.52	0436	0.93	1042	0.02
03	1.36	0436	1.37	1106	0.00	1712	1.29	2324	0.26	03	1.45	0018	0.32	0506	0.82
04	1.28	0506	1.20	1136	0.03	1754	1.31			04	1.35	0112	0.37	0542	0.71
05	1.24	0018	0.38	0530	0.04	1154	0.07	1848	1.31			05	1.24	0224	0.40
06	1.20	0118	0.49	0606	0.89	1236	0.12	1942	1.31	06	1.14	0342	0.39	0748	0.56
07	1.15	0242	0.56	0642	0.75	1318	0.17	2054	1.32	07	1.07	0454	0.34	0930	0.56
08	1.15	0430	0.55	0748	0.64	1412	0.22	2206	1.37	08	1.15	0548	0.27	1054	0.65
09	1.20	0554	0.47	0936	0.58	1530	0.24	2306	1.44	09	1.23	0624	0.19	1154	0.79
10	1.29	0654	0.37	1112	0.61	1642	0.23	2354	1.52	10	0.85	0654	0.11	1236	0.96
11	0.51	0724	0.28	1212	0.69	1748	0.18			11	1.37	0030	1.41	0724	0.03
12	1.46	0042	1.58	0754	0.20	1254	0.81	1842	0.12	12	1.41	0112	1.37	0748	-0.04
13	1.56	0124	1.62	0818	0.12	1342	0.94	1930	0.06	13	1.65	0154	1.30	0818	-0.11
14	1.60	0154	1.63	0848	0.06	1418	1.08	2012	0.03	14	1.86	0230	1.20	0848	-0.17
15	1.60	0230	1.59	0912	-0.01	1454	1.23	2054	0.02	15	2.01	0312	1.09	0924	-0.20
16	1.58	0306	1.52	0936	-0.06	1536	1.36	2148	0.05	16	2.08	0354	0.96	0954	-0.20
17	1.58	0336	1.41	1006	-0.10	1618	1.48	2236	0.10	17	2.05	0436	0.83	1036	-0.17
18	1.68	0412	1.27	1036	-0.12	1654	1.56	2330	0.19	18	1.93	0048	0.16	0530	0.71
19	1.72	0448	1.11	1112	-0.11	1748	1.61			19	1.74	0154	0.19	0630	0.61
20	1.70	0030	0.28	0530	0.94	1148	-0.08	1848	1.62	20	1.51	0312	0.18	0754	0.57
21	1.62	0148	0.35	0624	0.77	1236	-0.01	1954	1.61	21	1.43	0424	0.14	0930	0.61
22	1.53	0324	0.37	0736	0.64	1330	0.07	2106	1.60	22	1.39	0518	0.09	1054	0.75
23	1.46	0454	0.32	0912	0.58	1448	0.15	2224	1.62	23	1.35	0606	0.04	1154	0.93
24	1.45	0606	0.22	1054	0.63	1618	0.19	2330	1.63	24	1.13	0642	-0.01	1254	1.12
25	0.63	0654	0.13	1206	0.76	1736	0.17			25	1.34	0030	1.29	0712	-0.04
26	1.57	0024	1.63	0730	0.06	1254	0.92	1842	0.14	26	1.52	0112	1.18	0742	-0.06
27	1.59	0112	1.60	0806	0.01	1348	1.08	1942	0.11	27	1.65	0154	1.07	0812	-0.08
28	1.55	0154	1.53	0836	-0.02	1424	1.23	2030	0.10	28	1.74	0230	0.97	0836	-0.08
29	1.47	0230	1.43	0854	-0.04	1454	1.35	2118	0.12	29	1.78	0254	0.87	0854	-0.07
30	1.48	0254	1.31	0924	-0.04	1536	1.44	2154	0.15	30	1.77	0336	0.78	0930	-0.04
31	1.54	0330	1.18	0948	-0.03	1612	1.50	2242	0.20						

TABLE 32. Port Allen Tides, April 1995

Date	Range	Time	Ht												
Port Allen, Hanapepe Bay, HI 21° 54.0' North, 159° 35.0' West	Port Allen, Hanapepe Bay, HI 21° 54.0' North, 159° 35.0' West														
Tidal range, highs, and lows in feet	Tidal range, highs, and lows in feet														
Alaska-Hawaii Standard Time (AHST)	Alaska-Hawaii Standard Time (AHST)														
March 1995	April 1995														

TABLE 33. Port Allen Tides, May 1995

Date	Range	Time	Ht	Date	Range	Time	Ht
01	1.73	0412	0.71	0954	-0.01	1654	1.72
02	1.64	0018	0.25	0448	0.64	1024	0.04
03	1.52	0106	0.26	0530	0.58	1054	0.11
04	1.38	0154	0.26	0624	0.54	1136	0.20
05	1.26	0254	0.24	0736	0.54	1224	0.30
06	1.22	0348	0.20	0906	0.59	1336	0.40
07	1.20	0436	0.15	1024	0.72	1506	0.48
08	1.19	0512	0.09	1124	0.91	1642	0.48
09	1.18	0548	0.01	1212	1.13	1806	0.43
10	1.44	0624	-0.07	1254	1.37	1912	0.34
11	1.75	0024	1.10	0654	-0.14	1336	1.60
12	2.02	0112	1.01	0730	-0.21	1418	1.81
13	2.23	0154	0.92	0806	-0.26	1454	1.97
14	2.35	0248	0.82	0848	-0.28	1548	2.07
15	2.37	0336	0.74	0924	-0.26	1630	2.11
16	2.27	0430	0.66	1006	-0.20	1718	2.08
17	2.07	0048	0.05	0524	0.61	1054	-0.09
18	1.80	0148	0.05	0636	0.59	1148	0.06
19	1.64	0242	0.04	0754	0.62	1248	0.24
20	1.47	0336	0.03	0924	0.72	1406	0.40
21	1.32	0430	0.01	1042	0.89	1548	0.51
22	1.18	0512	-0.02	1142	1.10	1724	0.54
23	1.34	0548	-0.05	1236	1.30	1848	0.50
24	1.54	0624	-0.07	1318	1.48	1954	1.68
25	1.71	0030	0.90	0654	-0.08	1354	1.62
26	1.83	0118	0.81	0724	-0.09	1430	1.73
27	1.90	0154	0.73	0754	-0.09	1454	1.81
28	1.93	0236	0.68	0824	-0.08	1536	1.85
29	1.93	0312	0.64	0854	-0.06	1606	1.87
30	1.88	0354	0.60	0924	-0.02	1636	1.86
31	1.79	0012	0.19	0430	0.58	0954	0.03

TABLE 34. Port Allen Tides, June 1995

Date	Range	Time	Ht	Date	Range	Time	Ht
01	1.66	0048	0.18	0518	0.56	1030	0.11
02	1.52	0130	0.17	0612	0.57	1106	0.20
03	1.44	0212	0.15	0718	0.61	1154	0.33
04	1.34	0248	0.11	0830	0.70	1254	0.46
05	1.24	0330	0.07	0948	0.86	1430	0.58
06	1.15	0412	0.02	1054	1.07	1618	0.62
07	1.37	0448	-0.05	1148	1.32	1754	0.57
08	1.69	0530	-0.12	1236	1.57	1912	0.46
09	2.00	0612	-0.19	1318	1.81	2018	0.33
10	2.26	0042	0.81	0654	-0.25	1406	0.21
11	2.45	0136	0.74	0736	-0.29	1448	2.16
12	2.53	0236	0.70	0824	-0.29	1530	2.24
13	2.50	0324	0.67	0906	-0.26	1618	2.24
14	2.34	0418	0.66	0954	-0.17	1654	2.17
15	2.08	0030	0.00	0518	0.67	1042	-0.04
16	1.85	0118	0.00	0624	0.70	1130	0.13
17	1.63	0154	0.01	0730	0.77	1230	0.33
18	1.40	0248	0.01	0854	0.89	1348	0.52
19	1.19	0330	0.01	1012	1.05	1524	0.65
20	1.24	0412	0.01	1118	1.24	1718	0.68
21	1.44	0454	-0.01	1212	1.43	1848	0.62
22	1.61	0536	-0.02	1254	1.60	2054	0.76
23	1.76	0612	-0.03	1336	1.73	2048	0.43
24	1.88	0042	0.69	0648	-0.04	1412	1.83
25	1.95	0130	0.66	0724	-0.05	1442	1.90
26	1.99	0218	0.65	0754	-0.04	1512	1.95
27	1.99	0254	0.65	0830	-0.03	1548	1.96
28	1.94	0336	0.65	0906	0.01	1618	1.95
29	1.85	0418	0.66	0936	0.06	1648	1.91
30	1.70	0012	0.17	0454	0.69	1012	0.14

TABLE 37. Port Allen Tides, September 1995

Date	Range	Time	Ht								
01	1.48	0130	0.22	0854	1.70	1624	0.68	2012	0.87	01	1.46
02	1.55	0236	0.25	1018	1.79	1754	0.58	2154	0.81	02	1.51
03	1.64	0354	0.26	1124	1.90	1854	0.45	2330	0.86	03	1.58
04	1.76	0506	0.23	1218	1.99	1936	0.34	04	1.60	0336	1.16
05	1.84	0036	0.97	0612	0.19	1306	2.04	2012	0.26	05	1.56
06	1.87	0124	1.10	0712	0.16	1354	2.03	2048	0.20	06	1.48
07	1.81	0212	1.24	0806	0.15	1430	1.96	2118	0.17	07	1.52
08	1.69	0254	1.37	0854	0.18	1512	1.85	2148	0.16	08	1.61
09	1.53	0336	1.47	0942	0.24	1542	1.70	2218	0.17	09	1.65
10	1.36	0418	1.55	1030	0.34	1618	1.53	2242	0.20	10	1.63
11	1.37	0454	1.60	1118	0.44	1648	1.36	2312	0.23	11	1.57
12	1.34	0542	1.62	1212	0.56	1724	1.19	2342	0.28	12	1.46
13	0.96	0630	1.61	1312	0.65	1754	1.04	09	1.33	0636	1.75
14	1.26	0018	0.33	0724	1.59	1436	0.71	1842	0.92	14	1.13
15	1.19	0054	0.40	0830	1.58	1618	0.70	1954	0.82	15	1.13
16	1.14	0154	0.46	0942	1.60	1736	0.64	2142	0.80	16	1.16
17	1.15	0312	0.49	1048	1.64	1830	0.55	2306	0.85	17	1.22
18	1.22	0430	0.49	1136	1.70	1854	0.47	18	1.27	0454	0.61
19	1.34	0006	0.95	0536	0.45	1224	1.74	1930	0.40	19	1.31
20	1.43	0048	1.07	0630	0.40	1254	1.76	1954	0.34	20	1.33
21	1.48	0124	1.20	0718	0.35	1336	1.75	2024	0.28	21	1.48
22	1.49	0154	1.34	0754	0.32	1412	1.71	2048	0.22	22	1.72
23	1.46	0236	1.48	0848	0.30	1442	1.64	2112	0.18	23	1.92
24	1.47	0312	1.61	0930	0.32	1518	1.54	2136	0.14	24	2.05
25	1.61	0354	1.73	1018	0.35	1548	1.41	2206	0.12	25	2.10
26	1.69	0436	1.81	1112	0.41	1624	1.27	2236	0.12	26	2.05
27	1.71	0524	1.86	1212	0.49	1706	1.12	2318	0.15	27	1.91
28	1.67	0618	1.88	1318	0.55	1754	0.97	2354	0.21	28	1.66
29	1.30	0718	1.87	1448	0.56	1854	0.85	0336	0.79	29	1.59
30	1.55	0054	0.30	0824	1.85	1618	0.52	2036	0.79	30	1.54
31										31	1.49

TABLE 39. Port Allen Tides, November 1995

November 1995

Port Allen, Hanapepe Bay, HI

21° 54.0' North, 159° 35.0' West

Tidal range, highs, and lows in feet

Alaska-Hawaii Standard Time (AHST)

Date	Range	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht
01	1.44	0454	0.59	1106	1.57	1812	0.14	1848	0.10	01	1.40
02	1.36	0030	1.33	0618	0.55	1154	1.46	1842	0.06	02	1.62
03	1.46	0112	1.53	0724	0.50	1248	1.34	1918	0.07	03	1.79
04	1.64	0154	1.70	0824	0.44	1330	1.22	1948	0.05	04	1.92
05	1.78	0230	1.83	0912	0.40	1406	1.11	2018	0.05	05	1.98
06	1.85	0306	1.92	0954	0.38	1442	1.01	2042	0.06	06	2.00
07	1.88	0336	1.97	1042	0.38	1518	0.92	2106	0.09	07	1.97
08	1.85	0412	1.98	1124	0.38	1554	0.84	2136	0.13	08	1.89
09	1.77	0448	1.96	1206	0.39	1630	0.78	2206	0.19	09	1.77
10	1.65	0524	1.91	1254	0.40	1712	0.73	2236	0.26	10	1.63
11	1.48	0554	1.84	1348	0.40	1812	0.69	2312	0.36	11	1.55
12	1.38	0642	1.76	1442	0.39	1924	0.69	2354	0.47	12	1.45
13	1.32	0730	1.67	1530	0.35	2054	0.75			13	1.35
14	1.27	0106	0.59	0824	0.57	1618	0.30	2218	0.88	14	1.23
15	1.23	0242	0.69	0918	1.47	1654	0.24	2318	1.06	15	1.27
16	1.21	0424	0.71	1018	1.38	1730	0.17	2354	1.28	16	1.06
17	1.19	0548	0.66	1112	1.28	1754	0.09			17	1.67
18	1.49	0042	1.51	0654	0.57	1154	1.19	1836	0.01	18	1.98
19	1.79	0124	1.73	0754	0.46	1248	1.10	1906	-0.06	19	2.25
20	2.06	0154	1.94	0854	0.36	1336	1.02	1942	-0.12	20	2.45
21	2.27	0242	2.11	0942	0.28	1424	0.93	2018	-0.16	21	2.54
22	2.38	0324	2.23	1036	0.22	1512	0.86	2054	-0.16	22	2.51
23	2.39	0406	2.28	1124	0.19	1554	0.80	2142	-0.11	23	2.34
24	2.28	0454	2.26	1218	0.18	1654	0.75	2224	-0.02	24	2.12
25	2.05	0536	2.18	1312	0.17	1754	0.72	2312	0.13	25	1.93
26	1.89	0630	2.04	1406	0.16	1912	0.74			26	1.70
27	1.73	0012	0.30	0718	1.87	1506	0.14	2042	0.82	27	1.45
28	1.56	0124	0.49	0818	1.67	1554	0.11	2206	0.99	28	1.22
29	1.39	0306	0.64	0918	1.47	1642	0.08	2318	1.20	29	1.42
30	1.24	0454	0.69	1018	1.28	1724	0.05			30	0.85

TABLE 40. Port Allen Tides, December 1995

December 1995

Port Allen, Hanapepe Bay, HI

21° 54.0' North, 159° 35.0' West

Tidal range, highs, and lows in feet

Alaska-Hawaii Standard Time (AHST)

Date	Range	Time	Ht	Time	Ht	Time	Ht	Time	Ht	Time	Ht
01	1.40	0012	1.42	0624	0.64	1118	1.12	1754	0.02		
02	1.62	0054	1.61	0736	0.55	1212	0.99	1836	-0.01		
03	1.79	0142	1.77	0836	0.46	1254	0.89	1906	-0.02		
04	1.92	0218	1.89	0924	0.39	1342	0.82	1942	-0.02		
05	1.98	0248	1.97	1006	0.34	1424	0.76	2012	-0.02		
06	2.00	0324	2.00	1042	0.30	1454	0.73	2042	0.00		
07	1.97	0354	2.01	1118	0.28	1536	0.70	2112	0.04		
08	1.89	0424	1.99	1154	0.26	1618	0.68	2142	0.09		
09	1.77	0454	1.94	1230	0.25	1654	0.67	2212	0.17		
10	1.63	0530	1.87	1306	0.24	1748	0.67	2248	0.27		
11	1.55	0606	1.78	1348	0.23	1848	0.69	2336	0.40		
12	1.45	0642	1.66	1424	0.20	2006	0.77				
13	1.35	0030	0.54	0724	1.51	1506	0.17	2124	0.90		
14	1.23	0154	0.68	0806	1.35	1542	0.12	2236	1.09		
15	1.23	0154	0.68	0806	1.44	1218	0.83	1830	-0.17		
16	1.27	0348	0.75	0906	1.19	1624	0.06	2330	1.33		
17	1.06	0536	0.70	1006	1.04	1706	-0.01				
18	1.67	0018	1.57	0654	0.58	1112	0.92	1748	-0.09		
19	1.98	0054	1.81	0806	0.44	1218	0.83	1830	-0.17		
20	2.25	0148	2.02	0854	0.30	1312	0.78	1918	-0.23		
21	2.45	0230	2.19	0942	0.19	1406	0.75	1954	-0.26		
22	2.54	0312	2.29	1030	0.11	1454	0.74	2042	-0.25		
23	2.51	0354	2.31	1112	0.06	1554	0.74	2130	-0.19		
24	2.34	0436	2.26	1154	0.03	1648	0.75	2218	-0.08		
25	2.12	0518	2.14	1242	0.02	1748	0.78	2306	0.08		
26	1.70	0006	0.28	0648	1.73	1412	0.03	2006	0.92		
27	1.45	0112	0.49	0730	1.48	1454	0.03	2130	1.07		
28	1.22	0248	0.66	0824	1.24	1542	0.03	2248	1.25		
29	1.42	0448	0.71	0918	1.02	1630	0.02	2348	1.44		
30	0.85	0636	0.65	1030	0.85	1712	0.00				
31	1.63	0042	1.61	0748	0.53	1136	0.74				

NAWCWPNS TP 8065

Appendix A

Appendix A**HEIGHT OF THE TIDE AT ANY TIME**

The height of the tide at times intermediate to the times of high and low water is needed on occasion, and may be computed by numerical methods. An example of the method, (adapted from Table 3 of the data source), is presented here, using the predicted tides for a day at Point Mugu.

Problem: Given that the predicted times and heights of the tides are:

<u>TIME</u>	<u>HEIGHT</u>
0039	4.9
0814	0.2
1510	3.1
1933	2.4

What is the height of the tide at 0300?

Numerical Method

The duration of fall is 08h 14m - 00h 39m = 7h 35m

The time after high water is 03h 00m - 00h 39m = 2h 21m

The range of tide is 4.9 - 0.2 = 4.7 feet

Entering Table A-1 at the duration of fall of 7h 40m, which is the nearest value to 6h 35m, the nearest value on the horizontal line to 2h 21m is 2h 18m after high water. Following down this column to its intersection with a range of 4.5 feet which is the nearest value to 4.7 feet, one obtains 0.9 which, being calculated from high water, must be subtracted from 4.9. The approximate height at 0300 is therefore 4.0 feet.

When the duration of rise or fall is greater than 10h 40m, enter the table with one-half the given duration and with one-half the time from nearest high or low water; but if the duration of rise or fall is less than 4h 00m, enter the table with double the given duration and time.

GRAPHICAL METHOD

If the height of the tide is required for a number of times on a certain day the fill tide curve for the day, may be obtained by the *one-quarter, one-tenth rule*. The procedure is as follows:

1. On cross-section paper plot the high and low water points in the order of their occurrence for the day, measuring time horizontally and height vertically. These are the basic points for the curve.
2. Draw light straight lines connecting the points representing successive high and low waters.
3. Divide each of these straight lines into four equal parts. The halfway point of each line gives another point for the curve.
4. At the quarter point adjacent to high water, draw a vertical line above the point, and at the quarter point adjacent to low water, draw a vertical line below the point, making the length of these lines equal to one-tenth of the range between the high and low waters used. The points marking the ends of these vertical lines give two additional intermediate points for the curve.
5. Draw a smooth curve through the points of high and low waters and the intermediate points, making the curve well rounded near high and low waters. This curve will approximate the actual tide curve and heights for any time of the day may be readily scaled from it. The resulting graph is shown in Figure A-1.

CAUTION

Both methods presented are based on the assumption that the rise and fall conform to simple cosine curves. Therefore the heights obtained will be approximate. The roughness of approximation will vary as the tide curve differs from a cosine curve.




FIGURE A-1. Tidal Curve for Solution of the Problem.

NAWCWPNS TP 8065

Appendix B

Appendix B
EQUINOXES, SOLSTICES, AND LUNAR PHASES 1995

The dates and times for Vernal and Autumnal Equinoxes and Summer and Winter Solstices during 1995 are listed in Table B-1. The 1995 dates and times for phases of the moon are given in Table B-2. Times are Pacific Standard Time, add 1 hour when Daylight Savings Time is in effect; add 2 hours for times in the Barking Sands area.

TABLE B-1. Equinoxes and Solstices, 1995, Point Mugu Area

Vernal Equinox	20 March	1814 PST	Beginning of Spring Day and night equal length
Summer Solstice	21 June	1234 PST	Beginning of Summer Greatest duration daylight
Autumnal Equinox	23 September	0413 PST	Beginning of Autumn Day and night equal length
Winter Solstice	22 December	0017 PST	Beginning of Winter Greatest duration darkness

TABLE B-2. Lunar Phases, 1995, Point Mugu Area

	JANUARY		FEBRUARY		MARCH		APRIL	
	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
First Quarter	8	0746	7	0454	9	0214	7	2135
Full Moon	16	1226	15	0415	16	1726	15	0408
Last Quarter	23	2058	22	0504	23	1210	21	1918
New Moon	30	1448	--	--	30	1809	29	0936
New Moon	1	0256	--	--	1	0348	--	--
	MAY		JUNE		JULY		AUGUST	
	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
First Quarter	7	1344	6	0226	5	1202	3	1916
Full Moon	14	1248	12	2003	12	0249	10	1015
Last Quarter	21	0336	19	1401	19	0310	17	1904
New Moon	29	0127	27	1650	27	0713	25	2031
	SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
First Quarter	2	0103	1	0636	--	--	--	--
Full Moon	8	1937	8	0752	6	2320	6	1727
Last Quarter	16	1309	16	0826	15	0340	14	2131
New Moon	24	0855	23	2036	22	0743	21	1822
First Quarter	--	--	30	1317	28	2228	28	1106

Because the earth's period of revolution about the sun (365.24+ days) is not evenly divisible by the moon's period of revolution about the earth (27.321 days), the dates and times of lunar phases, moonrise and moonset, and tidal data must be recomputed for each year. The following information, however, is based on geometrical relationships and holds true for all times:

1. The New Moon rises at sunrise, crosses the meridian at noon, and sets at sunset.
2. The First Quarter Moon rises at noon, crosses the meridian at sunset, and sets at sunrise.
3. The Full Moon rises at sunset, crosses the meridian at midnight, and sets at sunrise.
4. The Last Quarter Moon rises at midnight, crosses the meridian at sunrise and sets at noon.

NAWCWPNS TP 8065

Appendix C

NAWCWPNS TP 8065
TABLE C-1 Sunrise and Sunset for Point Mugu (January-June)

Sunrise, Sunset, and Duration of Twilight for Point Mugu, CA.
34°07' N. 119°07' W
(January to June)

Note: All times are Pacific Standard Time. (120th meridian):
Add 1 hour when Daylight Savings Time is in effect.

Date	January		February		March		April		May		June		Date
	Sun- rise	Sun- set	Sun- rise	Sun- set									
1	0702	1658	0654	1727	0626	1753	0544	1817	0507	1840	0446	1903	1
2	0703	1659	0653	1728	0624	1753	0543	1818	0506	1841	0446	1903	2
3	0703	1700	0652	1729	0623	1754	0541	1819	0505	1842	0445	1904	3
3	0703	1700	0652	1730	0622	1755	0540	1819	0504	1843	0445	1904	3
4	0703	1700	0652	1730	0622	1755	0540	1819	0504	1843	0445	1904	4
5	0703	1701	0651	1731	0621	1756	0539	1820	0503	1843	0445	1905	5
6	0703	1702	0650	1732	0619	1757	0537	1821	0502	1844	0445	1905	6
7	0703	1703	0649	1733	0618	1758	0536	1822	0502	1845	0445	1906	7
8	0703	1704	0648	1734	0617	1758	0535	1822	0501	1846	0444	1906	8
9	0703	1705	0647	1734	0615	1759	0533	1823	0500	1846	0444	1907	9
10	0703	1705	0647	1735	0614	1800	0532	1824	0459	1847	0444	1907	10
11	0703	1706	0646	1736	0613	1801	0531	1825	0458	1848	0444	1908	11
12	0703	1707	0645	1737	0611	1802	0530	1825	0457	1849	0444	1908	12
13	0703	1708	0644	1738	0610	1802	0528	1826	0456	1849	0444	1909	13
14	0702	1709	0643	1739	0609	1803	0527	1827	0456	1850	0444	1909	14
15	0702	1710	0642	1740	0607	1804	0526	1828	0455	1851	0444	1909	15
16	0702	1711	0641	1741	0606	1805	0525	1829	0454	1852	0444	1910	16
17	0702	1712	0640	1742	0605	1806	0523	1829	0453	1852	0444	1910	17
18	0701	1713	0638	1743	0603	1806	0522	1830	0453	1853	0445	1910	18
19	0701	1714	0637	1744	0602	1807	0521	1831	0452	1854	0445	1911	19
20	0701	1715	0636	1745	0601	1808	0520	1832	0451	1855	0445	1911	20
21	0700	1716	0635	1746	0559	1809	0518	1832	0451	1844	0445	1911	21
22	0700	1717	0634	1747	0558	1809	0517	1833	0450	1856	0445	1911	22
23	0659	1718	0633	1747	0556	1810	0516	1834	0450	1857	0446	1911	23
24	0659	1719	0632	1748	0555	1811	0515	1835	0449	1857	0446	1912	24
25	0658	1720	0630	1749	0554	1812	0514	1835	0449	1858	0446	1912	25
26	0658	1721	0629	1750	0552	1813	0513	1836	0448	1859	0446	1912	26
27	0657	1722	0628	1751	0551	1813	0512	1837	0448	1900	0447	1912	27
28	0657	1723	0627	1752	0550	1814	0511	1838	0447	1900	0447	1912	28
29	0656	1724	0626	1752	0548	1815	0509	1839	0447	1901	0447	1912	29
30	0655	1725			0547	1816	0508	1839	0447	1901	0448	1912	30
31	0655	1726			0546	1816			0446	1902			31
	Average Twilight Civil:												
	27 min.	26 min.	25 min.	26 min.	28 min.	28 min.	29 min.						
	Nautical: 58 min	Nautical: 55 min.	Nautical: 54 min.	Nautical: 57 min.	Nautical: 61 min.	Nautical: 61 min.	Nautical: 65 min.						

Retain for use in future years. These data valid through 2020.

NAWCWPNS TP 8065
TABLE C-2 Sunrise and Sunset for Point Mugu (July-December)

Sunset, Sunset, and Duration of Twilight for Point Mugu, CA.
34°07' N. 119°07' W
(July to December)

Note: All times are Pacific Standard Time (120th meridian):
add 1 hour when Daylight Savings Time is in effect:

Date	July		August		September		October		November		December		Date
	Sun- rise	Sun- set											
1	0448	1912	0507	1858	0530	1823	0551	1741	0616	1704	0644	1647	1
2	0449	1912	0508	1857	0530	1821	0551	1740	0617	1703	0645	1647	2
3	0449	1912	0509	1856	0531	1820	0552	1738	0618	1702	0646	1647	3
4	0450	1912	0510	1855	0532	1819	0553	1737	0619	1701	0646	1647	4
5	0450	1912	0510	1854	0532	1817	0554	1736	0620	1700	0647	1647	5
6	0451	1911	0511	1853	0533	1816	0554	1734	0621	1659	0648	1647	6
7	0451	1911	0512	1852	0534	1815	0555	1733	0621	1658	0649	1647	7
8	0452	1911	0512	1851	0535	1813	0556	1732	0622	1658	0650	1647	8
9	0452	1911	0513	1850	0535	1812	0557	1730	0623	1657	0650	1647	9
10	0453	1910	0514	1849	0536	1810	0557	1729	0624	1656	0651	1647	10
11	0453	1910	0515	1848	0537	1809	0558	1728	0625	1655	0652	1647	11
12	0454	1910	0515	1847	0537	1808	0559	1726	0626	1655	0653	1648	12
13	0454	1909	0516	1846	0538	1806	0600	1725	0627	1654	0653	1648	13
14	0455	1909	0517	1845	0539	1805	0601	1724	0628	1653	0654	1648	14
15	0456	1909	0518	1844	0539	1803	0601	1723	0629	1653	0655	1648	15
16	0456	1908	0518	1843	0540	1802	0602	1721	0630	1652	0655	1649	16
17	0457	1908	0519	1841	0541	1801	0603	1720	0631	1652	0656	1649	17
18	0458	1907	0520	1840	0541	1759	0604	1719	0632	1651	0657	1650	18
19	0458	1907	0520	1839	0542	1758	0605	1718	0633	1651	0657	1650	19
20	0459	1906	0521	1838	0543	1756	0606	1717	0634	1650	0658	1650	20
21	0500	1905	0522	1837	0544	1755	0606	1715	0635	1650	0658	1651	21
22	0500	1905	0523	1835	0544	1754	0607	1714	0636	1649	0659	1651	22
23	0501	1904	0523	1834	0545	1752	0608	1713	0637	1649	0659	1652	23
24	0502	1904	0524	1833	0546	1751	0609	1712	0637	1649	0700	1653	24
25	0502	1903	0525	1832	0546	1749	0610	1711	0638	1648	0700	1653	25
26	0503	1902	0525	1830	0547	1748	0611	1710	0639	1648	0700	1654	26
27	0504	1902	0526	1829	0548	1747	0611	1709	0640	1648	0701	1654	27
28	0504	1901	0527	1828	0549	1745	0612	1708	0641	1647	0701	1655	28
29	0505	1900	0528	1827	0549	1744	0613	1707	0642	1647	0702	1656	29
30	0506	1859	0528	1825	0550	1742	0614	1706	0643	1647	0702	1656	30
31	0507	1858	0529	1824			0615	1705		0702	1657	31	
	Average Twilight												
Civil:	Civil:	Civil:	Civil:	Civil:	Civil:	Civil:	Civil:	Civil:	Civil:	Civil:	Civil:	Civil:	
29 min.	26 min.	25 min.	25 min.	25 min.	27 min.	27 min.	27 min.	28 min.					
Nautical:	Nautical:	Nautical:	Nautical:	Nautical:	Nautical:	Nautical:	Nautical:	Nautical:	Nautical:	Nautical:	Nautical:	Nautical:	
63 min.	58 min.	55 min.	54 min.	57 min.									

Retain for use in future years. These data valid through 2020.

NAWCWPNS TP 8065
TABLE C-3 Sunrise and Sunset for Barking Sands (January-June)

Sunrise, Sunset, and Duration of Twilight for Barking Sands, Kauai, HI
(January to June)
22°02' N, 159°47' W

Note: All times are Alaska-Hawaii Standard Time. (150th Meridian)

Date	January Sun- rise	January Sun- set	February Sun- rise	February Sun- set	March Sun- rise	March Sun- set	April Sun- rise	April Sun- set	May Sun- rise	May Sun- set	June Sun- rise	June Sun- set	Date
1	0718	1807	0718	1828	0700	1843	0632	1854	0607	1905	0555	1919	1
2	0719	1808	0717	1829	0659	1843	0631	1855	0607	1906	0555	1919	2
3	0719	1809	0717	1830	0659	1844	0630	1855	0606	1906	0555	1920	3
4	0719	1809	0716	1830	0658	1844	0629	1855	0606	1906	0555	1920	4
5	0719	1810	0716	1831	0657	1845	0628	1856	0605	1907	0555	1920	5
6	0720	1811	0715	1831	0656	1845	0627	1856	0604	1907	0555	1921	6
7	0720	1811	0715	1832	0655	1846	0627	1856	0604	1908	0555	1921	7
8	0720	1812	0714	1833	0654	1846	0626	1857	0603	1908	0555	1921	8
9	0720	1813	0714	1833	0653	1846	0625	1857	0603	1909	0555	1922	9
10	0720	1813	0713	1834	0653	1847	0624	1857	0602	1909	0555	1922	10
11	0720	1814	0713	1834	0652	1847	0623	1858	0602	1909	0555	1922	11
12	0721	1815	0712	1835	0650	1848	0621	1858	0601	1910	0555	1923	12
13	0721	1815	0712	1835	0650	1848	0621	1858	0601	1910	0555	1923	13
14	0721	1816	0711	1836	0649	1848	0620	1859	0600	1911	0555	1923	14
15	0721	1817	0710	1836	0648	1848	0620	1859	0600	1911	0555	1924	15
16	0721	1818	0710	1837	0647	1849	0619	1859	0559	1912	0555	1924	16
17	0721	1818	0709	1837	0646	1849	0618	1900	0559	1912	0556	1924	17
18	0721	1819	0709	1838	0645	1850	0617	1900	0559	1913	0556	1925	18
19	0721	1820	0708	1838	0644	1850	0616	1900	0558	1913	0556	1925	19
20	0720	1820	0707	1839	0643	1850	0615	1901	0558	1914	0556	1925	20
21	0720	1821	0706	1839	0642	1851	0615	1901	0558	1914	0556	1925	21
22	0720	1822	0706	1840	0641	1851	0614	1902	0557	1914	0557	1925	22
23	0720	1822	0705	1840	0641	1851	0613	1902	0557	1915	0557	1926	23
24	0720	1823	0704	1841	0640	1852	0612	1902	0557	1915	0557	1926	24
25	0720	1824	0703	1841	0639	1852	0612	1903	0557	1916	0557	1926	25
26	0719	1824	0703	1842	0639	1852	0611	1903	0556	1916	0558	1926	26
27	0719	1825	0702	1842	0637	1853	0610	1904	0556	1917	0558	1926	27
28	0719	1826	0701	1843	0636	1853	0609	1904	0556	1917	0558	1926	28
29	0719	1826	0701	1843	0635	1853	0609	1904	0556	1917	0558	1926	29
30	0718	1827			0634	1854	0609	1904	0555	1918	0559	1927	30
31	0718	1828			0633	1854	0608	1905	0555	1918			31
	Average Twilight Civil: 24 min. Nautical: 51 min.	Average Twilight Civil: 23 min. Nautical: 49 min.	Average Twilight Civil: 22 min. Nautical: 45 min.	Average Twilight Civil: 23 min. Nautical: 50 min.	Average Twilight Civil: 24 min. Nautical: 53 min.	Average Twilight Civil: 25 min. Nautical: 55 min.							

Retain for use in future years. These data valid through 2020.

TABLE C-4 Sunrise and Sunset for Barking Sands (July-December)

Sunrise, Sunset, and Duration of Twilight for Barking Sands, Kauai, HI
 22°02' N. 159°47' W
 (July to December)

NOTE: All times are Alaska-Hawaii Standard Time (150th Meridian)

	July	August		September		October		November		December		Date
Date	Sun- rise	Sun- set										
1 0559	1927	0611	1919	0622	1856	0630	1827	0643	1802	0702	1755	1
2 0559	1927	0612	1919	0622	1855	0631	1826	0643	1802	0702	1755	2
3 0600	1927	0612	1918	0623	1854	0631	1825	0644	1801	0703	1755	3
4 0600	1927	0612	1918	0623	1853	0631	1824	0645	1801	0703	1755	4
5 0600	1927	0613	1917	0623	1852	0632	1823	0645	1800	0704	1755	5
6 0601	1927	0613	1916	0623	1851	0632	1822	0646	1800	0705	1756	6
7 0601	1927	0614	1916	0624	1850	0632	1821	0646	1759	0705	1756	7
8 0602	1927	0614	1915	0624	1849	0633	1820	0647	1759	0706	1756	8
9 0602	1926	0614	1914	0624	1848	0633	1819	0647	1758	0707	1756	9
10 0602	1926	0615	1914	0625	1847	0633	1819	0648	1758	0707	1757	10
11 0603	1926	0615	1913	0625	1846	0634	1818	0649	1758	0708	1757	11
12 0603	1926	0616	1912	0625	1845	0634	1817	0649	1757	0709	1757	12
13 0603	1926	0616	1912	0625	1844	0634	1816	0650	1757	0709	1758	13
14 0604	1926	0616	1911	0626	1843	0635	1815	0650	1757	0710	1758	14
15 0604	1926	0617	1910	0626	1842	0635	1814	0651	1756	0710	1758	15
16 0605	1925	0617	1909	0626	1841	0636	1813	0652	1756	0711	1759	16
17 0605	1925	0617	1909	0626	1840	0636	1813	0652	1756	0712	1759	17
18 0606	1925	0618	1908	0627	1839	0636	1812	0653	1756	0712	1800	18
19 0606	1925	0618	1907	0627	1838	0637	1811	0654	1755	0713	1800	19
20 0606	1924	0618	1906	0627	1837	0637	1810	0654	1755	0713	1800	20
21 0607	1924	0619	1905	0628	1836	0638	1810	0655	1755	0714	1801	21
22 0607	1924	0619	1905	0628	1836	0638	1809	0656	1755	0714	1801	22
23 0608	1923	0619	1904	0628	1835	0639	1808	0656	1755	0715	1802	23
24 0608	1923	0620	1903	0628	1834	0639	1807	0657	1755	0715	1803	24
25 0608	1922	0620	1902	0629	1833	0639	1807	0658	1755	0716	1803	25
26 0609	1922	0620	1901	0629	1832	0640	1806	0658	1755	0716	1804	26
27 0609	1922	0621	1900	0629	1831	0640	1805	0659	1755	0716	1804	27
28 0610	1921	0621	1859	0630	1830	0641	1805	0700	1755	0717	1805	28
29 0610	1921	0621	1859	0630	1829	0641	1804	0700	1755	0717	1805	29
30 0610	1920	0621	1858	0630	1828	0642	1803	0701	1755	0718	1806	30
31 0611	1920	0622	1857		0642	1803			0718	1807	31	
Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average		
Civil:	Civil:	Civil:	Civil:	Civil:	Civil:	Civil:	Civil:	Civil:	Civil:	Civil:		
23 min.	23 min.	22 min.	23 min.	24 min.	24 min.	24 min.	24 min.	24 min.	24 min.	24 min.		
Nautical:	Nautical:	Nautical:	Nautical:	Nautical:	Nautical:	Nautical:	Nautical:	Nautical:	Nautical:	Nautical:		
54 min.	50 min.	48 min.	49 min.	51 min.	51 min.	52 min.	52 min.	52 min.	52 min.	52 min.		

Retain for use in future years. These data valid through 2020.

INITIAL DISTRIBUTION

EXTERNAL

- 1 Naval Air Warfare Center Headquarters, 1421 Jefferson Davis Highway,
Arlington, VA 22243-6000
- 4 Naval Air Systems Command, Washington, DC 20361-4110
AIR-00D4 (2)
AIR-42
AIR-540
- 2 Defense Technical Information Center, Cameron Station, Alexandria, VA 22304-6145
DTIC-DDA
- 1 Naval Air Warfare Center Headquarters, 1421 Jefferson Davis Highway, Arlington, VA 22243-6000
NAWC L03
- 1 Commander Third Fleet, Staff Oceanographer, FPO AP 96601-6001
(N7M)
- 4 Naval Facility Engineering Service Center, 560 Center Drive, Port Hueneme, CA 93043-4328
ESC 61 (C. Matthews)
ESC 122 (Technical Info Center)
ESC 421 (E. Durlak) (2)
- 1 Naval Oceanography Command Facility, Naval Air Station, North Island,
San Diego, CA 92135-5130
- 1 Commanding General, I Marine Expeditionary Force, Box 55300,
Camp Pendleton, CA 92055-5300
G7
- 1 Weather Service Office, HQ and HQ Squadron WX, Box 555151,
Camp Pendleton, CA 92055-5151
- 1 Naval Western Oceanography Center, Box 113, Pearl Harbor, HI 96860-5050
- 1 Detachment 30, 6th Weather Wing, Vandenberg AFB, CA 93437
- 1 Antarctic Development Squadron SIX, Point Mugu, CA 93042-5014
- 1 Naval Air Reserve, Point Mugu, CA 93042-5018
- 14 Pacific Missile Range Facility, Hawaiian Area, P.O. Box 128, Barking Sands, Kekaha,
Kauai, HI 96752-0128
7000
7002
7030 (2)
7300
7320 (2)
7322 (5)
7330 (2)
- 1 National Weather Service, Weather Service Forecast Office, 520 North Elevar Street,
Oxnard, CA 93030
- 1 USDA Soil Conservation Service, P.O. Box 260, 3380 Somis Road, Somis, CA 93066
- 1 Ventura College, Biology Department, 4667 Telegraph Road, Ventura, CA 93003
Mr. Thor Willsrud
- 3 County of Ventura, 800 South Victoria Avenue, Ventura, CA 93009
Flood Control District
Public Works Agency
Sheriff's Department/Emergency Services
- 1 Camarillo Star, 1000 Avenida Acaso, Camarillo, CA 93010
- 1 Dr. Victor Bobrow, OD, 461 West Fifth Street, Oxnard, CA 93030

INTERNAL

2	NAWCWPNS	2	Engineering Division
	Code 000000D (RADM D. McKinney)		Code 833320E (S. Cervantes)
	Code 00A000E (CAPT R. Hull)	3	Facilities Management Engineering Division
2	HARPOON/SLAM Program Office		Code 833430E (H. Qualls)
	Code 4KL000E (CDR M. Sarigul-Klijn)	10	San Nicolas Island Department
7	Archive Library		Code 839000E (LCDR A. Eglen)
1	Test & Evaluation		
	Code 500000E (Mr. G. WROUT)		
7	Pacific Ranges and Facilities Department		
	Code 520000D (D. Bullard) (5)		
	Code 521800E (LT E. Carlson) (2)		
150	Geophysics Analysis		
	Code 521420E (C. Fisk)		
10	Surface Craft		
	Code 521900E (LCDR A. Buchanan)		
1	Test Operations Division		
	Code 521000E (W. Leslie)		
3	Metric and TSPI System Design Branch		
	Code 522K00E		
1	Design Section		
	Code 522110E (S. Revell)		
1	Data Processing Division		
	Code 525220E (M. Burdullis)		
5	Threat/Target Systems Department		
	Code 530000E (R. Warmagieris)		
2	Target Operations Division		
	Code 532310E (J. Castro)		
5	Surface Targets Division		
	Code 532510E		
2	Aircraft Maintenance Department		
	Code 562000E (LCDR D. Laird)		
7	Information Security Operations Department		
	Code 741100E (W. Jenkins) (4)		
	Code 744B00E (M. Flores) (3)		
1	Naval Air Weapons Station		
	Code 830000E (CAPT S. Laughter)		
1	Air Operations Officer		
	Code 835000E (LCDR B. Cathey)		
1	Air Operations Administrative Office		
	Code 835D00E		
1	Air Traffic Control Facility		
	Code 835300E		
14	Environmental Division		
	Code 833200E (R. Dow) (2)		
	Code 833220E (T. Keeney) (12)		